





















NOTE: These motors differ from Brushless 'Modified' motors.
 Sample Motors on this List have been checked for compliance to BRCA Electric Board Brushless Rules, Sections 4, & 6.
 Whilst sample Motors submitted have been found to conform with all BRCA rules and requirements, **it is the responsibility of ALL competitors to ensure that the versions they use also comply with all BRCA rules and requirements.**
 All motors detailed below, must be (or previously have been) available for purchase via. a UK outlet.

| Motor Builder | Type/Range | Illustration only | Distributor | Notes | Approval Date |
|---|---|---|------------------|--|---|
| Motors below this level must comply with BRCA (EB) Rules :- 6.3 (including 01.03.21 amendment) requiring access to the stator to allow measurement and visual appraisal of the laminates. Also 6.4 & 6.6 (including 01.03.21 amendment) which requires the Rotor to be marked with Name or Logo & Part # on shaft.. | | | | | |
| Reds Racing | VX3 Part # MTTE 0038P |  | Kyosho UK | Sensored system. Red Al. timing plate. Adjustable timing 0-50. End-Caps remove, cut-outs for measuring stator. All screws magnetic, Al. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE0041 on shaft. Option rotor: MSTE0031 | 07.10.24 Rotor change. See also 2020 Approvals |
| Team Powers | Actinium V5S Part # TPRBLM 215100 ACT-V5S |  | RC-Explorer UK | Sensored system. Stator open, Caps remove. Team Powers on End-Cap, wind on stator. Adjustable timing 0/+60 deg. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. Rotor with name: Part # TP125G-R50 on shaft. | 02.09.24 |
| Hobbywing | Xerun V10 G4R Pt # 30401747 Standard version |  | Schumacher & CML | Sensored system. Rotor with one Alu. Fan type bal. ring. Adjustable timing +20/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # 30820450 on shaft. Option rotor: 30820460. | 05.08.24 |
| Muchmore | Fleta ZX V3 Type ER Part # MR- V3ZX215ERTM |  | MB Models | Sensored system. Stator open, Caps remove. Adjustable timing 0/+50 deg. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. MUST have slots in both End-Caps for stator measuring. Rotor with: Muchmore, Part # MR-FZR19XTM on shaft. Option rotor: MR-FZR1X | 05.08.24 |
| Amy Booth Models | ABM G1M Part # ABM10017 |  | Amy Booth Models | End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & G1M Lightweight printed on stator. All screws magnetic. Al. retaining housing, steel shielded magnetic bearings. Rotor with ABM, Part # ABM10093 on shaft. | 01.04.24 |
| Amy Booth Models | ABM G1 Part # ABM10004 |  | Amy Booth Models | End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & G1 printed on stator. All screws magnetic (brass plated). Al. retaining housing, steel shielded magnetic bearings. Rotor with ABM & Part # ABM10092 on shaft. | 01.04.24 |
| Team Corally | Vulcan II Part # C-61173 |  | CML | Sensored system. One piece Can with Vulcan II Stock & wind on stator. Adj. timing 0-60 deg. Stator bonded. Long Can screws non-magnetic, timing screws magnetic. Al. sensor housing. Steel shielded magnetic bearings. Rotor with Corally, Part # C-61185 on shaft. | 01.04.24 |
| United Sino Enterprises | ORCA Blitreme3 Part # MO24BT3U215 (EFRA version) |  | X-Factory UK | Sensored system. Stator bonded, but has access holes. Wind printed on stator. Adj. timing 5/60. All screws magnetic, steel shielded bearings. Small dia. steel location pin 5mm long bonded in stator groove. ORCA & Part # RT23HS12548 on magnet. Code # HS125 on shaft. Later production has full Part # on shaft. Option rotor: RT18M125258 | 05.02.24 03.06.24 |

| | | | | | |
|---------------|--|---|-------------------|---|----------------------|
| Surpass Hobby | Rocket RC V6M Lightweight Part # SUR 6521 |  | SMD | End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & V6M Lightweight printed on stator. All screws magnetic. Al. retaining housing, steel shielded magnetic bearings. Rotor with Surpass, Part # C75125 on shaft. | 04.09.23 |
| Surpass Hobby | Rocket RC V6 Part # SUR 6621 |  | SMD | End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & V6 printed on stator. All screws magnetic. Al. retaining housing, steel shielded magnetic bearings. Rotor with Surpass, Part # C78125 on shaft. | 04.09.23 |
| Hoomark | Team Zombie EVO II Part # M-TZ-EVO2215TT |  | MB Models | Sensored system. End-Caps remove. Adjustable timing 0/+60 deg. 4mm thick collector ring. Long body screws non-magnetic, timing plate screws magnetic, Al. sensor retaining housing, magnetic steel shielded bearings. Rotor with: Name & Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725125T | 07.08.23 |
| Trinity | Slot Machine Part # TEP 2023E |  | Zen Racing | Sensored. Purple end-plate has Trinity & Slot Machine etched. Wind and 'EFRA' on 'open' stator. Adjustable timing 0-60 deg. Has stator access. Wind stamped on lower collector ring. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. NOTE: Original version has EFRA marked in GOLD on stator. Rotor with name & Part # on shaft TEP1119. Later version has EFRA logo marked in WHITE on stator. Rotor with name & Part # on shaft TEP1120. Either Rotors are allowed. | 05.06.23 04.12.23 |
| Team Powers | Actinium V5.0 Pt. # TPRBLM 215100 ACT-V5 |  | RC-Explorer UK | Sensored system. Black Al. one piece Can. 4 full length slots. Team Powers on End-Cap. Wind on stator. Adjustable timing 0-60. All 6 c/sk screws magnetic, Al. sensor housing, steel shielded bearings. Rotor with name, Part # TP125G-R50. Option rotor: TP125G-R2 | 03.04.23 04.09.23 |
| Nosram | XTEC Nosram N22 Part # 920203 |  | Schumacher Racing | Sensored system. "Y" Wind. Black Al. End-Cap with XTEC. Adj. timing 0/60. Wind etched on stator, visible. Body screws non-magnetic, timing screws magnetic, steel shielded magnetic bearings. Rotor with Nosram & Part # 920522 on shaft. Option rotor: 920521. | 04.07.22 |
| Hobbywing | Justock G2.1 Fixed timing. Part # 30408012 |  | Schumacher & CML | Sensored system. "Y" Wind. Black Al. End-Caps with Hobbywing Justock G2.1. Fixed timing. Stator bonded, wind etched on stator. All screws magnetic, steel shielded magnetic bearings. Stator can be measured. Rotor with Name, Part # 30820007 on shaft. | 02.05.22 |
| Hobbywing | Xerun V10 G4 Pt # 30401142 |  | Schumacher & CML | Sensored system. Black all Alu. End-Caps. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # on shaft 30820445. Option rotor: 30820444. | 02.05.22 |
| Maclan | MRR V3 Part # MCL1052 |  | Answer RC | Sensored system. 3 side screws retain End-Cap. Timing insert with Maclan. Adjustable timing +20/+ 50. All screws magnetic. Al. sensor housing & horseshoe, magnetic steel shielded bearings. Stator removes with wind etched. Rotor with name & Part # MCL4144. | 07.03.22 |

| | | | | | |
|---|---|---|-------------------|--|---|
| Volta | Volta Part # 880003 |  | MB Models | Sensored system. "Y" Wind. Stator bonded. Adjustable timing 0/+60 deg. Stator & wind visible. All screws magnetic, Al. sensor retaining housing, magnetic steel shielded bearings. Rotor with: Name & Part # on shaft, 8125726. | 01.11.21 |
| Ruddog | Ruddog RP542 Part # RP-0449 |  | X-Factory UK | Sensored system. 4 side screws retain End-Cap. Timing insert with Ruddog. Adjustable timing 0/+60. Wind & RP542 on stator visible. 3mm collector ring. All screws magnetic, Al. sensor housing, magnetic steel shielded bearings. Stator bonded. Rotor with name & Part #- RP-0435 | 03.05.21 |
| Team Powers | Actinium V4.0 Pt. # TPBLM 215100 ACT-V4 |  | RC-Explorer UK | Sensored system. Black Al. one piece Can. 4 full length slots. Team Powers on End-Cap. Wind on stator. Adjustable timing 0-60. Body screws non-magnetic, timing screws magnetic, Al. sensor housing, steel shielded bearings. Rotor with name, Part # TP125G-R2. Option rotor: TP123G-R2 | 01.03.21 |
| Motors below this level must comply with BRCA (EB) Rules :- 6.3 (prior to 01.03.21 amendment) requiring access to the stator to allow measurement and visual appraisal of the laminates. Also 6.4 & 6.6 (prior to 01.03.21 amendment) which requires the Rotor to be marked with Name or Logo & Part #. | | | | | |
| Tekin | Redline G4 SPEC-R Part # TT2761 |  | X-Factory UK | Sensored system. "Y" Wind. Adj. timing 0/60. Machined Alum. Can, wind printed. Stator visible. All screws magnetic, Plastic sensor housing, magnetic steel shielded bearings. Rotor Part # TT2776 on flat. | 07.12.20 |
| Performa | p1 Radical Stock Part # PA9410 |  | Answer RC | Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+40. Wind in screw slots. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name. Part # PA9356. | 07.12.20 05.07.21 Part # updated |
| Konect | K1 Elite Stock Part # K11901010 |  | To be advised | Sensored system. "Y" Wind. Stator not bonded and removes for checking. Wind on stator visible. Adjustable timing 0/60. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part #: K1/12.5C7.2 on flat | 06.07.20 |
| Ruddog | Ruddog RP541 Part # RP-0363 |  | X-Factory UK | Sensored system. "Y" Wind. 4 side screws retain End-Cap. Timing insert has Ruddog & RP541. Adjustable timing 0/+60. Wind on stator visible. 3mm collector ring. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part #- RP-0349. | 01.06.20 |
| Reedy | Reedy S+Plus Torque Part # 27428 |  | CML | Sensored system. "Y" Wind. Alu. timing insert with 'R' logo, timing 0/+ 50 deg. Stator can be removed, wind etched on stator, twin lines round wind. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # 27414 of shaft flat. | 06.04.20 |
| Absima | CTM V.3 Part # 2130062 |  | Absima UK | Sensored system. Stator removes, access holes. Absima logo End-Cap, wind on stator. Adj. timing 0/50. Single collector ring. Body & timing screws non-magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part # CTM STK N42UH. | 02.03.20 |
| Reds Racing | VX3 Part # MTTE 0038 MTTE0038C MTTE0038P MTTE0038PC See notes |  | Kyosho UK | Sensored system. "Y" Wind. Red Al. timing plate. Adjustable timing 0-50. Caps. remove, cut-outs for measuring stator. All screws magnetic, Al. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE 0030. Motor with Part # ending with:- 'C' has non-magnetic long body screws. 'P' has updated stator material. | 22.01.20 09.11.20 02.05.22 |

| | | | | | |
|-------------------------|---|---|-------------------|--|----------|
| Hoomark | Team Zombie EVO. Part # M-TZ-EVO215T |  | Torque RC | Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. 4mm thick collector ring. Body screws magnetic, timing screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with: Zombie, Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725123 | 06.01.20 |
| Corally | Vulcan Stock Part # C-61113 |  | CML | Sensored system. "Y" Wind. Can with Vulcan Stock & wind on stator. Adj. timing 0-60 deg. Stator removes. All screws magnetic, Al. sensor housing. Steel shielded bearings. Rotor with name & Part #: 61130 | 06.01.20 |
| Surpass | Rocket-RC V5R Part # SUR 51215 |  | SMD | Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. 3mm collector ring. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Steel body screws supplied with kit, allowed. Rotor with Surpass, Part # C75125 on shaft. Option rotor: C77123 on shaft. | 30.09.19 |
| Hobbywing | Xerun V10 G3R Pt # 30401132 |  | Schumacher & CML | Sensored system. "Y" Wind. Black Alu. End-Caps, plastic timing insert. Rotor with one Alu. bal. ring. Adjustable timing +30/+60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # 30820411. Option rotor: 30820416. | 10.06.19 |
| | | | | Later versions can have mounting end-cap chamfer plain aluminium with no black paint. | 06.07.20 |
| United Sino Enterprises | ORCA Blitreme2 Part # MO18BT54215 |  | MB Models | Sensored system. Stator bonded, has access holes. ORCA, Blitreme2 & wind etched on End-Cap. Wind on stator. Adj. timing +10/60. Single 3mm collector ring. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part #: RT18M125258. | 25.03.19 |
| LRP | XTEC X22 Part # 520203 |  | Schumacher | Sensored system. Black Al. End-Bell with XTEC. Adj. timing 0/60. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, steel shielded bearings. Rotor with LRP & Part # 520522, 12.5S on shaft. Option rotor: 520521, 12.3S on shaft. Later motors have two full length slots, and are allowed. | 11.03.19 |
| | | | | 20.01.21 | |
| Sky RC | ARES Pro. V2.1 Part # SK-400003-60 |  | Schumacher Racing | Sensored system. "Y" Wind. Stator removes. Adjustable timing +5/+55 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & part #: SK-400003-20 | 03.12.18 |
| Tekin | Redline G3 SPEC-R Part # TT2696 |  | X-Factory UK | Sensored system. "Y" Wind. Adj. timing 0/60. Machined Alum. Can, wind printed. Stator visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Min. length 50.00mm. Rotor with name & Part # 2722. Option rotor: 2721 | 19.11.18 |
| SMC | Lowrider Part # SMCLR40215 |  | Monitex Racing | Sensored system. "Y" Wind. No centre sleeve, End-Caps remove. Adjustable timing +10/+54 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & part #: LR712542 | 12.11.18 |
| Hoomark | Zombie CJ Edition. Part # M-TZ-RBE215T |  | Torque RC | Sensored system. "Y" Wind. Stator bonded but visible. Adjustable timing 0/+60 deg. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with: Zombie, Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725125S | 12.10.18 |

| | | | | | |
|--|--|---|-------------------------|--|----------------------|
| Surpass | Rocket V4S Stock Spec. Part # SUR7215 |  | SMD | Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with Surpass, Part # C75125 on shaft. Option Rotor: C77123. | 17.09.18 12.11.18 |
| Team Powers | Actinium V3.0 Pt. # TPBLM 215100 ACT-V3 |  | RC-Explorer UK | Sensored system. Black Aluminium Sleeve & End-Cap. Stator with wind etched & visible. Sintered rotor with one balance ring. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name, Part # TP125G-R2. Option rotor: TP123G-R2 | 17.09.18 02.07.19 |
| Hobbywing | Xerun V10 G3 Pt # 30401105 |  | Schumacher Racing & CML | Sensored system. "Y" Wind. Black Alu. End-Caps, plastic timing insert. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor Part # 30820018. Option rotor 30820406 | 21.05.18 24.12.18 |
| Reds Racing | VX2 Part # MTTE 0024 |  | Kyosho UK | Sensored system. "Y" Wind. Red Al. timing adjuster. Adjustable timing 0-50. Stator removes & has wind etched. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # MSTE0017. Option rotor MSTE 0018 | 23.04.18 |
| Surpass | Rocket V3 Pro Stock. Part # SUR6215 SUR1215 |  | SMD | Sensored system. "Y" Wind. Stator bonded, has access. Adjustable timing 0/+45 deg. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with Surpass, Part # C74125 on shaft. Black casings & Part # update in 2022 | 05.02.18 04.07.22 |
| Reedy | Reedy S+Plus Part # 27401 |  | CML | Sensored system. "Y" Wind. Alu. timing insert with 'R' logo, timing 0/+ 50 deg. Stator can be removed, wind etched on stator. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # 27414 of shaft flat. | 15.01.18 |
| Tianco | ORCA Blitreme Part # OMB215BL |  | MB Models | Sensored system. "Y" Wind. Stator bonded, has access holes. ORCA Blitreme & wind etched on End-Cap. Adjustable timing 0/60. Twin collector ring. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # ORR425SO. | 15.01.18 |
| Arrowmax | Dash R-Tune Part # DA740215 |  | Schumacher Racing | Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. Wind on stator. All screws magnetic, Al. retaining plate, steel shielded bearings. (Non-magnetic body screws included with kit). Rotor with DASH:- Part # - DA-730003. Shaft RSS125. | 01.01.18 19.02.18 |
| NOTE: ALL MOTORS SUBMITTED BEFORE 01.11.17, WERE HOMOLOGATED WITH MAGNETIC SCREWS AND STEEL SHIELDED BEARINGS FITTED. | | | | | |
| Changing these items invalidates the Motor Part # stated and contravenes Electric Board Rule 4.3. | | | | | |
| Maclan | MRR V2 Part # MCL1035 |  | Inside Line Racing | Sensored system. "Y" Wind. Black Can & End-Cap with logo. Nickel rotor with one Black Alu. bal. ring. Adjustable timing +20/+ 50 deg. Has stator access. Rotor Part # MCL4143. Option Rotor : MCL 4144. | 16.10.17 20.11.17 |
| Trinity | Monster Max Horsepower Part # TEP 1507 |  | Zen Racing | Sensored system. 'Y' Wind. End-plate has Trinity & Monster Max etched. Stator sleeve with Trinity, M Max & Wind etched. Adjustable sensor plate timing 0-60 deg. Has stator access. Wind stamped on lower collector ring. Rotor with name & Part # TEP1112, later versions TEP1119. Either options allowed. | 16.10.17 19.03.18 |

| | | | | | |
|-------------------------|--|---|--------------------|---|----------------------------------|
| Motiv | MCR Part # MOV102152S |  | Zen Racing | Sensored system. "Y" Wind. Alu. timing plate with MOTIV logo. Both End-Caps remove. Nickel sintered rotor with black balance ring. Adjustable sensor plate timing +20/+50 deg. Has stator access. Rotor part # MOV1340 | 28.08.17 |
| R1 Brushless Motor Lab. | R1 Part # R1-215B-125-V16 BRCA & EFRA |  | MB Models | Sensored system. "Y" Wind. End-Plate with R1 etched. Stator sleeve with wind. Rotor with black balance ring. Adjustable timing 0-60 deg. Has stator access. Collector ring 3mm thick. Motors with epoxy filled windings not approved. V16 etched on sleeve. Rotor with name & Part #: R1-125-720-002 Option rotors: R1-123-720-001 | 24.07.17 |
| Muchmore | FLETA ZX V2 Part # MR-V2ZX215ER |  | MB Models | Sensored system. "Y" Wind. Al. timing plate, adjust. timing 0-50. Stator removes but can be seen through holes. Wind etched on stator. Shaft etched with rotor dia. Rotor with name & part #. Rotor Part #: MR-FZR 21Y. Optional rotor #'s: All MR-FZR :- 18TI, 19Z, 21TIZ, 21Z | 03.07.17 31.10.17 |
| Hobbywing | Xerun Justock 3650 G2 Pt # 30408007 |  | Schumacher | Sensored system. "Y" Wind. Black Alu. Can & End-Cap with Justock 3650G2. Nickel sintered rotor with one Alu. bal. ring. No timing adjustment. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A. | 15.05.17 |
| R1 Brushless Motor Lab. | R1 Part # R1-215B-125-V15 BRCA & EFRA |  | MB Models | Sensored system. "Y" Wind. End-Plate with R1 (only) etched. Stator sleeve with wind. Rotor with black balance ring. Adjustable timing 0-60 deg. Has stator access. Collector ring 3mm thick. Motors with epoxy filled windings not approved. Rotor with name & Part #: R1-125-720-002 Option rotors: R1-123-720-001 R1-125-720-001 | 20.02.17 03.04.17 |
| Reds Racing | VX Part # MTTE 0013 |  | Kyosho UK | Sensored system. "Y" Wind. Red metal End-Plate at Term. End, with adjustable timing 0-45. Black Can/Sleeve. Stator separates & has wind etched. Rotor with Green drilled balance ring Part # MSTE0016. Optional rotors:- # MSTE0009, MSTE0010 | 30.01.17 |
| Fantom | Fantom FR-1 v2 Pt. # FAN19475S |  | Schumacher | Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind etched. Adjustable timing +20/+60 deg. Has stator access but hysol on ends. Wind etched on stator. Rotor with name, Part # - FAN19591. Option Rotor: FAN19590. | 23.01.17 |
| Maclan | MRR Part # MCL1017 |  | Inside Line Racing | Sensored system. "Y" Wind. Black Can & End-Cap with copper timing plate & logo. Nickel rotor with one red Alu. bal. ring. Adjustable timing +20/+ 60 deg. Stator removes easily. Rotor Part # MCL4075. Optional rotors # MCL4076 & MCL4093. | 16.01.17 |
| Tianco | ORCA RT Pt. # OMT215RT |  | MB Models | Sensored system. "Y" Wind. Black Can & E/Cap. Stator has access slots. Stator accepts 14.5mm gauge. ORCA RT & wind etched on End-Cap. Adjustable timing +/-50. Rotor with name & Part # ORR425S0. Option rotors:- ORR --- 325S1, 233SL, 238SL, 253SL, 258SL. | 16.01.17 |
| Hobbywing | Xerun V10 G2 Pt # 30101109 |  | Schumacher | Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo moulded. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 50 deg. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A. Opt. Rotor # 30820015 stamped 7-12.5-U-B Option End-Cap, timing +30/+60 # 30820054 | 21.11.16 12.12.16 21.11.16 |

| | | | | | |
|--|--|---|----------------------------------|--|----------------------|
| Team Powers | Actinium Pt. # TPBLM 215100 ACT- V2 |  | RC-Explorer UK | Sensored system. "Y" Wind. Black Aluminium Sleeves & End-Plates. Stator with wind etched & visible. Nickel sintered rotor with no balance ring. Has stator access. Rotor with name, Part # TP125G-R | 24.10.16 |
| Tesla | Tesla EP Part # TS-194215T-S |  | CPD | Sensored system. "Y" Wind. Blue Alu. Can & End-Caps. Timing insert with Tesla logo etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible. Rotor Part # TS-194136 | 05.09.16 |
| Fantom | Fantom FR-1 Type M Pt. # FAN19505S |  | Schumacher | Sensored system. "Y" Wind. Stator glued & spigoted in sleeve. Sleeve with wind etched. Adjustable sensor plate timing +20/+60 deg. Has stator access. Wind etched on stator. Rotor with name, Part # - FAN19591. Optional Rotor: FAN19590. | 08.08.16 05.12.16 |
| Corally | Dynospeed Spec. 3.0 Part # C-61103 |  | X-Factory UK | Sensored system, two ports. "Y" Wind. One end of stator visible but stator removes. Stator has wind etched. Wind etched on End-Cap. End-Cap Alum., adjustable timing, no numbers. Rotor with logo, Part # 61130 | 08.08.16 |
| Motiv | M Code Part # MOV10215S |  | Zen Racing | Sensored system. "Y" Wind. Alu. timing plate with MOTIV logo. Mounting Cap removes. Nickel sintered rotor with no balance ring. Adjustable sensor plate timing 0/+50 deg. Has stator access. Rotor part # MOV1315 | 18.07.16 |
| Ruddog | Ruddog RP540 Part # RP-0015 |  | X-Factory UK | Sensored system. "Y" Wind. Silver Alu. Can & End-Caps. Timing insert with Ruddog etched. Nickel rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible with wind visible on stator. Rotor Part # RP-12.5-7.2 | 20.06.16 |
| Tekin | Redline Gen3 Part # TT2703 |  | RC Disco & X-Factory UK | Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring.. Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visible via. slots. Rotor with one brass balance ring Part # 2721. Option rotors: 2719, 2722 | 16.05.16 |
| Tekin | Redline Gen3 Part # TT2702 RPM |  | RC Disco & X-Factory UK | Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring.. Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visible via. slots. Rotor with one brass balance ring Part # 2721. Option rotors: 2719, 2722 | 16.05.16 |
| EZpower | EZ Kicker EZBR221 |  | MB Models | Sensored system. "Y" Wind. Gun-metal End-Plates & Sleeve. Adjustable red timing ring. Nickel sintered rotor with Red hollow balance ring marked EZ. Caps & sleeve remove, has stator access. Rotor Part # EZBR233 | 28.03.16 |
| For Homologations before 2016 -- See:- Brushless ARCHIVE, All Wind Classes before 2016. | | | | | |
| Paul Worsley, (BRCA Electric Board Tech. Officer). email: paul.g.worsley@gmail.com | | | | | 06.01.25 |