

Brushless 'Spec.' Motors (17.5 Turn). 2025 v1

06.01.25

NOTE: These motors differ from Brushless 'Modified' motors. Sample Motors on this List have been checked for compliance to BRCA Electric Board Brushless Rules, Sections 4, & 6. Whilst sample Motors submitted have been found to conform with all BRCA rules and requirements, it is the responsibility of ALL competitors to ensure that the versions they use also comply with all BRCA rules and requirements. All motors detailed below, must be (or previously have been) available for purchase via. a UK outlet. Motor Approval Type/ Illustration only Distributor Notes Builder Range Date Motors below this level must comply with BRCA (EB) Rules :- 6.3 (including 01.03.21 amendment) requiring access to the stator to allow measurement and visual appraisal of the laminates. Also 6.4 & 6.6 (including 01.03.21 amendment) which requires the Rotor to be marked with Name or Logo & Part # on shaft. Sensored system. Stator bonded, but has access ORCA holes. Wind printed on stator. Adj. timing 5/60. All Blitreme3A screws magnetic, steel shielded magnetic United Sino X-Factory 07.10.24 bearings. Small dia. steel location pin 5mm long Part # Enterprises UK bonded in stator groove. MO24BT3U175A Rotor with ORCA, Part # RT23HS12548 on shaft. (EFRA version) Option rotor: RT18M125258 on shaft. Sensored system. Red Al. timing plate. 07.10.24 Adjustable timing 0-50. End-Caps remove, cut-Rotor VX3 outs for measuring stator. All screws magnetic, Reds change. Part # Kyosho UK Al. sensor housing & retaining plate, magnetic Racing See also steel shielded bearings. MTTE 0037P 2020 Rotor with name & Part # MSTE0041 on shaft. Approvals Option rotor: MSTE0031 Sensored system. Stator open, Caps remove. Actinium V5S Team Powers on End-Cap, wind on stator. Team **RC-Explorer** Adjustable timing 0/+60 deg. All screws Part # 02.09.24 Powers UK magnetic, Al. retaining housing, steel shielded **TPRBLM 175100** magnetic bearings. ACT-V5S Rotor with name: Part # TP125G-R50 on shaft. Sensored system. Stator open, Caps remove. Fleta ZX V3 Adjustable timing 0/+50 deg. All screws Type ER magnetic, Al. retaining housing, steel shielded Muchmore **MB Models** magnetic bearings. MUST have slots in both End-05.08.24 Part # Caps for stator measuring. Rotor with: MR-Muchmore. Part # MR-FZR19XTM on shaft. V3ZX175ERTM Option rotor: MR-FZR21X End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & ABM G1M Amy Booth Amy Booth G1M Lightweight printed on stator. All screws Part # 01.04.24 Models Models magnetic. Al. retaining housing, steel shielded ABM10016 magnetic bearings. Rotor with ABM, Part # ABM10093 on shaft. End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & ABM G1 Amy Booth Amy Booth G1 printed on stator. All screws magnetic (brass Part # 01.04.24 Models Models plated). Al. retaining housing, steel shielded ABM10003 magnetic bearings. Rotor with ABM & Part # ABM10092 on shaft. Sensored system. One piece Can with Vulcan II Stock & wind on stator. Adj. timing 0-60 deg. Vulcan II Stator bonded. Long Can screws non-magnetic, Part # 01.04.24 Team Corally CML timing screws magnetic. Al. sensor housing. C-61172 Steel shielded magnetic bearings. Rotor with Corally, Part # C-61185 on shaft. Sensored system. Rotor with one Alu. Fan type Xerun bal. ring. Adjustable timing +20/+ 60 deg. Stator V10 G4R Schumacher and wind visible. All screws magnetic, Al. Hobbywing 01.04.24 & Pt# retaining housing, steel shielded bearings. CML 30401748 Rotor with name & Part # 30820450 on shaft. Standard version Option rotor: 30820407.

| Reedy | Reedy SP5 R Euro Part # 27488 | | CML | Sensored system. Stator open, Caps remove. Adjustable timing 0/+50 deg. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. SP5 & wind on stator. No epoxy in winding. Rotor with: Reedy, Part # 27483 on shaft. Option rotor: 27484. | 01.04.24 |
|----------------------------|--|--------------------|----------------------|---|----------------------|
| United Sino Enterprises | ORCA Blitreme3 Part # MO24BT3U175 (EFRA version) | | X-Factory UK | Sensored system. Stator bonded, but has access holes. Wind printed on stator. Adj. timing 5/60. All screws magnetic, steel shielded bearings. Small dia. steel location pin 5mm long bonded in stator groove. ORCA & Part # RT23HS12548 on magnet. Code # HS125 on shaft. Later production has full Part # on shaft. Option rotor: RT18M125258 | 05.02.24 |
| Surpass Hobby | Rocket RC V6M Lightweight Part # SUR 6517 | | SMD | End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & V6M Lightweight printed on stator. All screws magnetic. Al. retaining housing, steel shielded magnetic bearings. Rotor with Surpass, Part # C75125 on shaft. | 04.09.23 |
| Surpass Hobby | Rocket RC V6 Part # SUR 6617 | | SMD | End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & V6 printed on stator. All screws magnetic. Al. retaining housing, steel shielded magnetic bearings. Rotor with Surpass, Part # C78125 on shaft. | 04.09.23 |
| Hoomark | Team Zombie EVO II Part # M-TZ- EVO2175T | | MB Models | Sensored system. End-Caps remove. Adjustable timing 0/+60 deg. 4mm thick collector ring. Long body screws non-magnetic, timing plate screws magnetic, Al. sensor housing, magnetic steel shielded bearings. Rotor with: Name & Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725125T | 03.04.23 |
| Team Powers | Actinium V5.0 Pt. # TPRBLM 175100 ACT-V5 | | RC-Explorer UK | Sensored system. Black AI. one piece Can. 4 full length slots. Team Powers on End-Cap. Wind on stator. Adjustable timing 0-60. All 6 c/sk screws magnetic, AI. sensor housing, steel shielded bearings. Rotor with name, Part # TP125G-R50 on shaft. Option rotor: TP125G-R2 | 03.04.23 |
| Trinity | Slot Machine Part # TEP 2022E | | Zen Racing | Sensored. Purple end-plate has Trinity & Slot Machine etched. Wind and 'EFRA' on 'open' stator. Adjustable timing 0-60 deg. Has stator access. Wind stamped on lower collector ring. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. NOTE: Original version has EFRA marked in GOLD on stator. Rotor with name & Part # on shaft TEP1119. Later version has EFRA logo marked in WHITE on stator. Rotor with name & Part # on shaft TEP1120. Either Rotors are allowed. | 03.04.23 04.12.23 |
| Core RC | Core RC Star Series Fixed timing. Part # CR858 | | Schumacher Racing | Sensored system. "Y" Wind. Black Al. End-Caps with Core RC. Fixed timing. Stator bonded but wind etched on collector ring. All screws magnetic, steel shielded magnetic bearings. Rotor with Name, Part # CR859 on shaft. | 04.07.22 |
| Nosram | XTEC Nosram N22 Part # 920202 | N22 NEICES ESEC | Schumacher | Sensored system. "Y" Wind. Black Al. End-Cap with XTEC. Adj. timing 0/60. Wind etched on stator, visable. Body screws non-magnetic, timing screws magnetic, steel shielded magnetic bearings. Rotor with Nosram & Part # 920522 on shaft. Option rotor: 920521. | 04.07.22 |

| Hobbywing | Justock G2.1 Fixed timing. Part # 30408011 | Justock 17.51 ACCEPTAINCE | Schumacher & CML | Sensored system. "Y" Wind. Black Al. End-Caps with Hobbywing Justock G2.1. Fixed timing. Stator bonded, wind etched on stator. All screws magnetic, steel shielded magnetic bearings. Stator can be measured. Rotor with Name, Part # 30820007 on shaft. | 02.05.22 |
|----------------|---|---------------------------------------|------------------------|---|---|
| Hobbywing | Xerun V10 G4 Pt # 30401141 | Tr.st- | Schumacher & CML | Sensored system. Black all Alu. End-Caps. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # on shaft 30820444. Option rotor: 30820416. | 02.05.22 |
| Volta | Volta Part # 880002 | | MB Models | Sensored system. "Y" Wind. Stator bonded. Adjustable timing 0/+60 deg. Stator & wind visible. All screws magnetic, Al. sensor retaining housing, magnetic steel shielded bearings. Rotor with: Name & Part # on shaft, 8125726. | 01.11.21 |
| Maclan | MRR V3 Part <i>#</i> MCL1051 | | Answer RC | Sensored system. 3 side screws retain End-Cap. Timing insert with Maclan. Adjustable timing +20/+ 50. All screws magnetic. Al. sensor housing & horseshoe, magnetic steel shielded bearings. Stator removes with wind etched. Rotor with name & Part # MCL4144. | 03.05.21 |
| Ruddog | Ruddog RP542 Part # RP-0448 | | X-Factory UK | Sensored system. 4 side screws retain End-Cap. Timing insert with Ruddog. Adjustable timing 0/+60. Wind & RP542 on stator visible. 3mm colector ring. All screws magnetic, Al. sensor housing, magnetic steel shielded bearings. Stator bonded. Rotor with name & Part #:- RP-0435 | 03.05.21 |
| Team Powers | Actinium V4.0 Pt. # TPBLM 175100 ACT-V4 | | RC-Explorer UK | Sensored system. Black Al. one piece Can. 4 full length slots. Team Powers on End-Cap. Wind on stator. Adjustable timing 0-60. Body screws non-magnetic, timing screws magnetic, Al. sensor housing, steel shielded bearings. Rotor with name, Part # TP125G-R2. Option rotor: TP123G-R2 | 01.03.21 |
| | | isal of the laminates. Also 6.4 & 6.6 | | .21 amendment) requiring access to the stato .21 amendment) which requires the Rotor to b #. | |
| Tekin | Redline G4 SPEC-R Part # TT2762 | | X-Factory UK | Sensored system. "Y" Wind. Adj. timing 0/60. Machined Alum. Can, wind printed. Stator visable. All screws magnetic, Plastic sensor housing, magnetic steel shielded bearings. Rotor Part # TT2776 on flat. | 07.12.20 |
| Performa | p1 Radical Stock Part # PA9409 | | Answer RC | Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+40. Wind in screw slots. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name. Part # PA9356. | 07.12.20 05.07.21 Part # updated |
| Scorpion | SCORPION POWER RR-3420 Part # (ending) 7086984197 | 17.5T | Hobby Circuit | Sensored system. "Y" Wind. Stator not bonded but tight to remove. Wind on stator. Adjustable timing 0/60. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Only later versions with no paint coatings on the stator ends are approved. Rotor with name & Part #: 4897086984234 | 06.07.20 |
| Ruddog | Ruddog RP541 Part # RP-0361 | | X-Factory UK | Sensored system. "Y" Wind. 4 side screws retain End-Cap. Timing insert has Ruddog & RP541. Adjustable timing 0/+60. Wind on stator visible. 3mm colector ring. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part #:- RP-0349. | 01.06.20 |

| Reedy | Reedy S+Plus Torque Part # 27429 | | CML | Sensored system. "Y" Wind. Alu. timing insert with 'R' logo, timing 0/+ 50 deg. Stator can be removed, wind on stator, twin lines round wind. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # 27414 of shaft flat. | 06.04.20 |
|----------------|---|---|------------------------|--|----------------------------------|
| Absima | CTM V.3 Part <i>#</i> 2130061 | The second | Absima UK | Sensored system. Stator removes, access holes. Absima logo End-Cap, wind on stator. Adj. timing 0/50. Single collector ring. Body & timing screws non-magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part # CTM STK N42UH. | 02.03.20 |
| Reds Racing | VX3 Part # MTTE 0037 MTTE0037C MTTE0037P MTTE0037PC See notes | IZ.ST VX3 | Kyosho UK | Sensored system. "Y" Wind. Red Al. timing plate. Adjustable timing 0-50. Caps. remove, cut-outs for measuring stator. All screws magnetic, Al. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE 0030. Option rotor: MSTE 0031 Motor with Part # ending with:- 'C' has non-magnetic long body screws. 'P' has updated stator material | 03.02.20 07.12.20 06.06.22 |
| Hoomark | Team Zombie EVO. Part # M-TZ-EVO175T | | Torque RC | Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. 4mm thick collector ring. Body screws magnetic, timing screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with: Zombie, Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725123 | 06.01.20 |
| Corally | Vulcan Stock Part # C-61112 | | CML | Sensored system. "Y" Wind. Can with Vulcan Stock & wind on stator. Adj. timing 0-60 deg. Stator removes. All screws magnetic, Al. sensor housing. Steel shielded bearings. Rotor with name & Part #: 61130 | 06.01.20 |
| Fantom | Fantom ICON Torque Part # FAN19217T | | Schumacher Racing | Stator glued in one piece can. Wind on stator. Can has wind & ICON etched. Adjustable timing +20/+60 deg. No full length internal pins, one magnetic pin 1 dia. x 8 long. All screws magnetic. Bearings magnetic with steel shields. Rotor with name, Part # - FAN19585. | 16.09.19 |
| Surpass | Rocket-RC V5R Part # SUR 51175 | | SMD | Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. 3mm colector ring. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Steel body screws supplied with kit, allowed. Rotor with Surpass, Part # C75125 on shaft. Option rotor: C77123 on shaft. | 16.09.19 |
| Speedzone | Speedzone Part # SZBLS175 | 17.5T Speedzone | Monitex Racing | One piece Can, stator removes. Adjustable timing 0/+60 deg. Wind etched on stator (hiiden). All screws magnetic. Al. retaining housing, steel shielded bearings. Rotor with name, Part # SZR125S, diameters on shaft. Option Rotor: SZR125S-T, diameters on shaft. | 19.08.19 30.09.19 |
| Hobbywing | Xerun V10 G3R Pt # 30401131 | | Schumacher & CML | Sensored system. Black Alu. End-Caps, plastic timing insert. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # 30820411. Option rotor: 30820416 Later versions can have mounting end-cap chamfer plain aluminium with no black paint. | 05.08.19 06.07.20 |

| Revtech | XFactor Part # REV1102 | LS'2L KEACTOR CITAST REVIECH | Zen Racing | Sensored system. Blue end-plate, Revtech & XFactor etched. Wind on stator. Adjustable timing 0-60 deg. Has stator access. Wind on lower collector ring. All screws magnetic, plastic retaining housing, steel shielded magnetic bearings. Rotor with name & Part # TEP1119. Option rotor: TEP 1120 | 03.06.19 06.12.21 |
|----------------------------|--|---------------------------------------|----------------------|---|----------------------|
| United Sino Enterprises | ORCA Blitreme2 Part # MO18BT54175 | | MB Models | Sensored system. Stator bonded, has access holes. ORCA, Blitreme2 & wind etched on End- Cap. Wind on stator. Adj. timing +10/60. Single 3mm collector ring. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part #: RT18M125258. | 25.03.19 |
| LRP | XTEC X22 Part # 520202 | | Schumacher | Sensored system. Black AI. End-Bell with XTEC. Adj. timing 0/60. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, steel shielded bearings. Rotor with LRP & Part # 520522, 12.5S on shaft. Option rotor: 520521, 12.3S on shaft. Later motors have two full length slots, and are allowed. | 11.03.19 20.01.21 |
| Motiv | MC3 Part # MOV31017 | | Zen Racing | Sensored system. Alu. timing plate with logo. End- Cap ass. removes. Adjustable sensor plate timing 0/+40 deg. Has stator access. Twin collector rings. All screws magnetic, full Al. sensor housing, steel shielded bearings. Rotor part # MOV1330. Option rotor MOV1318 | 04.02.19 |
| Sky RC | ARES Pro. V2.1 Part # SK-400003-59 | | Schumacher Racing | Sensored system. "Y" Wind. Stator removes. Adjustable timing +5/+55 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & part #: SK-400003-20 | 03.12.18 |
| Fantom | Fantom ICON Pt. # FAN193171CON | | Schumacher | Stator glued in one piece can, no hysol on outer edge. Wind on stator. Can has wind & ICON etched. Adjustable timing +20/+60 deg. Three internal steel pins 2.48 dia. All screws magnetic. Bearings magnetic with steel shields. Rotor with name, Part # - FAN19597. | 26.11.18 |
| Tekin | Redline G3 SPEC-R Part # TT2697 | | X-Factory UK | Sensored system. "Y" Wind. Adj. timing 0/60. Machined Alum. Can, wind printed. Stator visable. All screws magnetic, Al. retaining housing, steel shielded bearings. Min. length 50.00mm. Rotor with name & Part # 2722. Option rotor: 2721 | 19.11.18 |
| SMC | Lowrider Part # SMCLR40175 | | Monitex Racing | Sensored system. "Y" Wind. No centre sleeve, End-Caps remove. Adjustable timing +10/+54 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & part #: LR712542 | 12.11.18 |
| Surpass | Rocket V4S Stock Spec. Part # SUR7175 | | SMD | Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with Surpass, Part # C75125 on shaft. Option Rotor: C77123. | 17.09.18 12.11.18 |
| Team Powers | Actinium V3.0 Pt. # TPBLM 175100 ACT-V3 | | RC-Explorer UK | Sensored system. Black Aluminium Sleeve & End-Cap. Stator with wind etched & visable. Sintered rotor with one balance ring. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name, Part # TP125G-R2. Option rotor: TP123G-R2 | 17.09.18 |

| Hoomark | Zombie CJ Edition. Part # M-TZ-RBE175T | | Torque RC | Sensored system. "Y" Wind. Stator bonded but visable. Adjustable timing 0/+60 deg. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with: Zombie, Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725125S | 17.09.18 |
|----------------|---|------------------|----------------------------------|---|----------------------|
| Reds Racing | VX2 Part # MTTE 0023 | | Kyosho UK | Sensored system. "Y" Wind. Red Al. timing adjuster. Adjustable timing 0-50. Stator removes & has wind etched. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # MSTE0017. Option rotor MSTE 0018 | 18.06.17 |
| Hobbywing | Xerun V10 G3 Pt # 30401104 | | Schumacher Racing & CML | Sensored system. "Y" Wind. Black Alu. End- Caps, plastic timing insert. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor Part # 30820018. Later motors 30820406. Both rotors allowed. | 19.03.18 24.12.18 |
| Surpass | Rocket V3 Pro Stock. Part # SUR6175 SUR1175 | | SMD | Sensored system. "Y" Wind. Stator bonded, has access. Adjustable timing 0/+45 deg. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with Surpass, Part # C74125 on shaft. Black casings & Part # update in 2022. | 05.02.18 04.07.22 |
| Reedy | Reedy S+Plus Part # 27402 | | CML | Sensored system. "Y" Wind. Alu. timing insert with 'R' logo, timing 0/+ 50 deg. Stator can be removed, wind etched on stator. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # 27414 of shaft flat. | 15.01.18 |
| Tianco | ORCA Blitreme Part # OMB175BL | | MB Models | Sensored system. "Y" Wind. Stator bonded, has access holes. ORCA Blitreme & wind etched on End-Cap. Adjustable timing 0/60. Twin collector ring. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # ORR425SO. | 15.01.18 |
| Arrowmax | Dash R-Tune Part # DA740175 | | Schumacher Racing | shielded bearings. (Non-magnetic body screws included with kit). Rotor with DASH:- Part # - DA-730003. Shaft RSS125. | 01.01.18 19.02.18 |
| | | AND STEEL SHIELD | DED BEARING | MOLOGATED WITH MAGNETIC SCRE GS FITTED. d contravenes Electric Board Rule 4.3. | WS |
| Maclan | MRR V2 Part # MCL1034 | | Inside Line Racing | Sensored system. "Y" Wind. Black Can & End- Cap with logo. Nickel rotor with one Black Alu. bal. ring. Adjustable timing +20/+ 50 deg. Has stator access. Rotor Part # MCL4143. Option Rotor: MCL 4144 | 16.10.17 20.11.17 |
| Trinity | Monster Max Horsepower Part # TEP 1506 | | Zen Racing | Sensored system. 'Y' Wind. End-plate has Trinity & Monster Max etched. Stator sleeve with Trinity, M Max & Wind etched. Adjustable sensor plate timing 0-60 deg. Has stator access. Wind stamped on lower collector ring. Rotor with name & Part # TEP1112, later versions TEP1119. Either options allowed. | 16.10.17 |
| Fantom | Fantom FR-1 v3R Pt. # FAN19413S | | Schumacher | Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind & 'R' etched. Adjustable timing +20/+60 deg. Has stator access no hysol on outer edge. Wind etched on stator. Rotor with name, Part # - FAN19597. | 25.09.17 |

| Fantom | Fantom FR-1 v3T Pt. # FAN19414S | | Schumacher | Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind & 'T' etched. Adjustable timing +20/+60 deg. Has stator access no hysol on outer edge. Wind etched on stator. Rotor with name, Part # - FAN19597. | 25.09.17 |
|----------------------------|---|----------|-----------------------|---|----------------------|
| Motiv | MCR Part # MOV101752S | | Zen Racing | Sensored system. "Y" Wind. Alu. timing plate with MOTIV logo. Both End-Caps remove. Nickel sintered rotor with black balance ring. Adjustable sensor plate timing +20/+50 deg. Has stator access. Rotor part # MOV1340 | 28.08.17 |
| R1 Brushless Motor Lab. | R1 Part # R1-175B-125-V16 BRCA & EFRA | | MB Models | Sensored system. "Y" Wind. End-Plate with R1 etched. Stator sleeve with wind. Rotor with black balance ring. Adjustable timing 0-60 deg. Has stator access. Collector ring 3mm thick. Motors with epoxy filled windings not approved. V16 etched on sleeve. Rotor with name & Part #: R1-125-720-002 Option rotors: R1-123-720-001 | 24.07.17 |
| Muchmore | FLETA ZX V2 Part # MR-V2ZX175ER | | MB Models | Sensored system. "Y" Wind. Al. timing plate, adjust. timing 0-50. Stator removes but can be seen through holes. Wind etched on stator. Shaft etched with rotor dia. Rotor with name & part #. Rotor Part #: MR-FZR 21Y. Optional rotor #s: All MR-FZR :- 18TI, 19Z, 21TIZ, 21Z | 03.07.17 31.10.17 |
| Hobbywing | Xerun Justock 3650 G2 Pt # 30408006 | | Schumacher | Sensored system. "Y" Wind. Black Alu. Can & End-Cap with Justock 3650G2. Nickel sintered rotor with one Alu. bal. ring. No timing adjustment. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A. | 15.05.17 |
| R1 Brushless Motor Lab. | R1 Part # R1-175B-125-V15 BRCA & EFRA | 17.5 21 | MB Models | Sensored system. "Y" Wind. End-Plate with R1 (only) etched. Stator sleeve with wind. Rotor with black balance ring. Adjustable timing 0-60 deg. Has stator access. Collector ring 3mm thick. Motors with epoxy filled windings not approved. Rotor with name & Part #: R1-125-720-002 Option rotors: R1-123-720-001 R1-125-720-001 | 20.02.17 03.04.17 |
| Fantom | Fantom FR-1 v2R Pt. # FAN19473S | | Schumacher | Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind etched. Adjustable timing +20/+60 deg. Has stator access but hysol on ends. Wind etched on stator. Rotor with name, Part # - FAN19591. Option Rotor: FAN19590. | 23.01.17 |
| Fantom | Fantom FR-1 v2T Pt. # FAN19474S | 775 17.5 | Schumacher | Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind etched. Adjustable timing +20/+60 deg. Has stator access but hysol on ends. Wind etched on stator. Rotor with name, Part # - FAN19591. Option Rotor: FAN19590. | 23.01.17 |
| Orion | Vortex Ultimate Stock XLW (2016) # ORI28374 | | Kyosho UK | Sensored system. "Y" Wind. Small dia. Black sleeve with removable Alu. End-Plates, all retained with long screws. Adjustable timing 0/+40. Wind etched. Two sensor plug. Rotor has name & part # ORI 41553. Option Rotor: ORI 41554 | 23.01.17 13.02.17 |
| Maclan | MRR Part # MCL1016 | | Inside Line Racing | Sensored system. "Y" Wind. Black Can & End- Cap with copper timing plate & logo. Nickel rotor with one red Alu. bal. ring. Adjustable timing +20/+ 60 deg. Stator removes easily. Rotor Part # MCL4075. Optional rotors # MCL4076 & MCL4093. | 16.01.17 |

| Tianco | ORCA RT Pt. # OMT175RT | | MB Models | Sensored system. "Y" Wind. Black Can & E/Cap. Stator has access slots. Stator accepts 14.5mm gauge. ORCA RT & wind etched on End-Cap. Adjustable timing +/-50. Rotor with name & Part # ORR425S0. Option rotors:- ORR 325S1, 233SL, 238SL, 253SL, 258SL. | 16.01.17 |
|----------------|---|------------------------------|----------------------------------|--|----------------------------------|
| Orion | Vortex VST2 Pro. Mg. LW (2016) # ORI28331 | | Kyosho UK | Sensored system. Dark grey one-piece Can. End- Plate has Team Orion & wind marked, retained with five screws. Adjustable timing +/- 10. Two sensor plugs. Has stator access. Rotor with name & Part # ORI 41517 Option rotor: ORI 41476 | 24.10.16 |
| Team Powers | Actinium Pt. # TPBLM 175100 ACT- V2 | | RC-Explorer UK | Sensored system. "Y" Wind. Black Aluminium Sleeves & End-Plates. Stator with wind etched & visable. Nickel sintered rotor with no balance ring. Has stator access. Rotor with name, Part # TP125G-R | 24.10.16 |
| Tesla | Tesla EP Part # TS-194175T-S | | CPD | Sensored system. "Y" Wind. Blue Alu. Can & End-Caps. Timing insert with Tesla logo etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible. Rotor Part # TS-194136 | 05.09.16 |
| Corally | Dynospeed Spec. 3.0 Part # C-61102 | | X-Factory UK | Sensored system, two ports. "Y" Wind. One end of stator visable but stator removes. Stator has EFRA & wind etched. Wind etched on End-Cap. End-Cap Alum., adjustable timing, no numbers. Rotor with logo, Part # 61130 | 08.08.16 |
| Motiv | M Code Part # MOV10705S | | Zen Racing | Sensored system. "Y" Wind. Alu. timing plate with MOTIV logo. Mounting Cap removes. Nickel sintered rotor with no balance ring. Adjustable sensor plate timing 0/+50 deg. Has stator access. Rotor part # MOV1315 | 18.07.16 |
| Fantom | Fantom FR-1 Type M Pt. # FAN19482S | | Schumacher | Sensored system. "Y" Wind. Stator glued & spigoted in sleeve. Sleeve with wind etched. Adjustable sensor plate timing +20/+60 deg. Has stator access. Wind etched on stator. Rotor with name, Part # - FAN19591. Optional Rotor: FAN19590. | 18.07.16 05.12.16 |
| Ruddog | Ruddog RP540 Part # RP-0014 | RUDDOG RP540 | X-Factory UK | Sensored system. "Y" Wind. Silver Alu. Can & End-Caps. Timing insert with Ruddog etched. Nickel rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible with wind visable on stator. Rotor Part # RP-12.5-7.2 | 20.06.16 |
| Tekin | Redline Gen3 Part # TT2705 | CENS: 1.5T | RC Disco & X-Factory UK | Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721. Option rotors: 2719, 2722 | 16.05.16 |
| Tekin | Redline Gen3 Part # TT2704 RPM | CENS: 11.5T HPM Tender | RC Disco & X-Factory UK | Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721. Option rotors: 2719, 2722 | 16.05.16 |
| Hobbywing | Xerun V10 G2 Pt # 30101108 | E BORD BOOK | Schumacher | Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo moulded. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 50 deg. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A Opt. Rotor: # 30820015 stamped 7-12.5-U-B Option End-Cap, timing +30/+60, # 30820054 | 08.01.16 12.12.16 21.11.16 |

| For Homologations before 2016 See:- Brushless ARCHIVE, All Wind Classes before 2016. | |
|--|----------|
| Paul Worsley, (BRCA Electric Board Tech. Officer). email: paul.g.worsley@gmail.com | 06.01.25 |