

BATTERIES ON THIS HOMOLOGATION LIST HAVE BEEN CERTIFIED FOR COMPLIANCE WITH UN38.3, TESTS T1-T8.

Lithium based (LiPo) batteries detailed below, are approved for various BRCA Electric Classes. Section Rules will detail the type applicable.

BRCA EB rules limit battery energy capacity to comply with Airline Requirements (currently 100Wh.), based on Manufacturers data below.












Batteries approved from 2011 onwards must comply with the weight range specified. Batteries factory sealed (glue, weld etc.).















Battery packs must be able to be disconnected within the Car quickly without the use of tools. Direct soldering is not allowed.















Manufacturers advise that charge rate be restricted to 1C for optimum lifespan, but should not be more than stated below (for 2017 on).

Batteries MUST be charged using a 1S LiPo compatible charger. LiPo 'Sack' must be used when charging or discharging prior to race.

It is strictly NOT ALLOWED, to charge 1S LiPo Batteries to give an output voltage exceeding 4.20v.

| Submitted by: | Label Details Part # | Illustration only | Manufacturer Supplied Data. | BRCA measured Specification, | Approval Date |
|----------------------------------------------------------------------------------------------------------|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------|
| BATTERIES ON THIS LIST WERE APPROVED BY BRCA IN YEARS 2009 - 2017 AND ARE ALLOWED AT 2025 EVENTS. | | | | | |
| Associated Electrics | Reedy Zappers # 27311 |  | Reedy LiPo 1S 3.8v. 30.4 Wh. 100C Max charge rate: 2C 4 mm. Tubes | Sample complies with BRCA dimensions. Weights:- Sample: 151.8 g. Allowed: 149/161 g. | 02.07.17 |
| Neidhart SA | Orion # ORI 14069 |  | Orion LiPo 1S 3.8v. 28.5 Wh. 110C Max charge rate: 2C 4 mm. Tubes | Sample complies with BRCA dimensions. Weights:- Sample: 132.3 g. Allowed: 128/138 g. | 02.07.17 |
| Freemax Metal Products | Arrowmax # AM 700301 |  | Arrowmax LiPo 1S 3.7v. 22.9 Wh. 130C Max charge rate: 1C 5 mm. Tubes | Sample complies with BRCA dimensions. Weights:- Sample: 152.4 g. Allowed: 148/160 g. | 02.07.17 |
| Freemax Metal Products | Arrowmax # AM 700302 |  | Arrowmax LiPo 1S 3.7v. 29.6 Wh. 110C Max charge rate: 1C 5 mm. Tubes | Sample complies with BRCA dimensions. Weights:- Sample: 158.3 g. Allowed: 152/164 g. | 02.07.17 |
| Schumacher | Fantom Type R # FAN26187 (Upgrade with 5mm tubes) |  | Fantom LiPo 1S 3.7v. 28.9 Wh. 100C Max charge rate: 2C 5 mm. Tubes | Sample complies with BRCA dimensions. Weights:- Sample: 154.8 g. Allowed: 149/161 g. | 02.07.17 |
| Intellect Battery | IP # CC1S8200HV2 |  | Intellect LiPo 1S 3.8v. 31.0 Wh. 120C Max charge rate: 3C 4 mm. Tubes | Sample complies with BRCA dimensions. Weights:- Sample: 152.0 g. Allowed: 146/158 g. | 05.01.17 |
| Modern Creations | Team Silverback Siren-HV # HV80001001SIN |  | Modern Creations LiPo 1S 3.8v. 30.4 Wh. 100C Max charge rate: 3C 4 mm. Tubes | Sample complies with BRCA dimensions. Weights:- Sample: 148.5 g. Allowed: 142/154 g. | 05.01.17 |
| Team Corally | Corally Platinum V+ # 48331 |  | Corally LiPo 1S 3.7v. 25.2 Wh. 100C Max charge rate: 1.4C 4 mm. Tubes | Sample complies with BRCA dimensions. Weights:- Sample: 149.1 g. Allowed: 144/156 g. | 05.01.17 |
| Team Corally | Corally Platinum V+ # 48333 |  | Corally LiPo 1S 3.7v. 28.9 Wh. 100C Max charge rate: 1.6C 4 mm. Tubes | Sample complies with BRCA dimensions. Weights:- Sample: 148.2 g. Allowed: 144/156 g. | 05.01.17 |
| Team Corally | Corally Coral-X # 48370 |  | Corally LiPo 1S 3.8v. 28.5 Wh. 100C Max charge rate: 1.5C 4 mm. Tubes | Sample complies with BRCA dimensions. Weights:- Sample: 147.2 g. Allowed: 142/154 g. | 05.01.17 |
| Tianco | ORCA Gen. 3 # OBH380C1 |  | Tianco LiPo 1S 3.8v. 30.4 Wh. 110C Max charge rate: 3C 4 mm. Tubes | Sample complies with BRCA dimensions. Weights:- Sample: 152.5 g. Allowed: 146/158 g. | 05.01.17 |













| | | | | | |
|----------------------|----------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------------|----------|
| Fantom | Fantom Type R # FAN26187 |  | Fantom LiPo 1S 3.7v. 28.86 Wh. 100C Wt. 149/161 g. 4 mm. Tubes. | Sample complies with BRCA dimensions. Sample Wt. 155.4 g. | 01.07.16 |
| Intellect Battery | IP # CC1S8000SV1 |  | Intellect LiPo 1S 3.7v. 30.0 Wh. 100C Wt. 150/162 g. 4 mm. Tubes. | Sample complies with BRCA dimensions. Sample Wt. 154.8 g. | 14.01.16 |
| LRP | LRP # 430249 |  | LRP LiPo 1S 3.7v. 30.0 Wh. 110C Wt. 152/164 g. 4 mm. Tubes. | Sample complies with BRCA dimensions. Sample Wt. 158.4 g. | 14.01.16 |
| Modern Creations | Team Silverback Spiral R # 60001001SIN |  | Modern Creations LiPo 1S 3.7v. 22.2 Wh. 100C Wt. 147/159 g. 4 mm. Tubes. | Sample complies with BRCA dimensions. Sample Wt. 152.4 g. | 14.01.16 |
| Neidhart SA | Orion # ORI 14086 |  | Orion LiPo 1S 3.7v. 27.4 Wh. 110C Wt. 136/148 g. 4 mm. Tubes. | Sample complies with BRCA dimensions. Sample Wt. 141.2 g. | 14.01.16 |
| Nosram | Nosram X-treme Race # 999542 |  | Nosram LiPo 1S 3.7v. 30.0 Wh. 110C Wt. 152/164 g. 4 mm. Tubes. | Sample complies with BRCA dimensions. Sample Wt. 156.3 g. | 14.01.16 |
| Revell GmbH | TrakPower # TKPC0705 |  | TrakPower LiPo 1S 3.7v. 21.0 Wh. 100C Wt. 136/148 g. 4 mm. Tubes. | Sample complies with BRCA dimensions. Sample Wt. 142.8 g. | 14.01.16 |
| Shenzhen Grepow | GensAce # B50C70001S2P H/Case 11 |  | GensAce LiPo 1S 3.7v. 25.9 Wh. 50C Wt. 139/151 g. 4 mm. Tubes | Sample complies with BRCA dimensions. Sample Wt. 143.6 g. | 14.01.16 |
| Yokomo | Racing Performer # RPB-80E |  | Yokomo LiPo 1S 3.7v. 29.6 Wh. 100C Wt. 149/161 g. 4 mm. Tubes. | Sample complies with BRCA dimensions. Sample Wt. 155.4 g. | 14.01.16 |
| Muchmore Racing | Impact # MLI-T8000FD2 |  | Muchmore LiPo 1S 3.7v. 29.6 Wh. 110C Wt. 149/161 g. 4 mm. Tubes. | Sample complies with BRCA dimensions. Sample Wt. 156.4 g. | 14.01.16 |
| ProTek RC | ProTek RC # PTK 5105-16 |  | ProTek LiPo 1S 3.7v. 27.4 Wh. 100C Wt. 150/162 g. 4 mm. Tubes | Sample complies with BRCA dimensions. Sample Wt. 155.9 g. | 14.01.16 |
| Tianco | ORCA Infinite # OBHG76S1 |  | Tianco LiPo 1S 3.7v. 28.1 Wh. 100C Wt. 150/162 g. 4 mm. Tubes | Sample complies with BRCA dimensions. Sample Wt. 156.5 g. | 14.01.16 |
| MB Models | Balls Out # BO GT12 |  | MB Models LiPo 1S 3.7v. 22.2 Wh. 70C Wt. 142/154 g. 4 mm. Tubes | Sample complies with BRCA dimensions. Sample Wt. 147.8 g. | 14.01.16 |
| MB Models | Balls Out # BO 8000 |  | MB Models LiPo 1S 3.7v. 29.7 Wh. 70C Wt. 151/163 g. 4 mm. Tubes | Sample complies with BRCA dimensions. Sample Wt. 156.6 g. | 14.01.16 |

| | | | | | |
|----------------------|--------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------|----------|
| Schumacher Racing | CORE-RC # CR279 |  | Core RC LiPo 1S 3.7v. 29.6 Wh. 100C Wt. 144/156 g. 4 mm. Tubes | Sample complies with BRCA dimensions. Sample Wt. 154.8 g. | 14.01.16 |
| Associated Electrics | Reedy # 320 |  | Reedy LiPo 1S 3.7v. 30.0 Wh. 70C Wt. 154/166 g. | Sample complies with BRCA dimensions. Sample Wt. 159.2 g. | 03.07.15 |
| Intellect Battery | IP # CC1S7000SV1 |  | Intellect LiPo 1S 3.7v. 26.0 Wh. 100C Wt. 139/151 g. | Sample complies with BRCA dimensions. Sample Wt. 145.9 g. | 08.01.15 |
| LRP | LRP # 430224 |  | LRP LiPo 1S 3.7v. 27.8 Wh. 110C Wt. 144/159 g. | Sample complies with BRCA dimensions. Sample Wt. 151.4 g. | 08.01.15 |
| Modern Creations | Team Silverback SpiralX # 7900901SIN |  | Modern Creations LiPo 1S 3.7v. 29.2 Wh. 90C Wt. 152/164 g. | Sample complies with BRCA dimensions. Sample Wt. 158.6 g. | 08.01.15 |
| Neidhart SA | Orion # ORI 14058 |  | Orion LiPo 1S 3.7v. 25.9 Wh. 100C Wt. 139/151 g. | Sample complies with BRCA dimensions. Sample Wt. 141.7 g. | 08.01.15 |
| Nosram | Nosram X-treme Race # 999518 |  | Nosram LiPo 1S 3.7v. 27.8 Wh. 110C Wt. 144/156 g. | Sample complies with BRCA dimensions. Sample Wt. 151.8 g. | 08.01.15 |
| Pro Models Corally | Corally # 48278 |  | Pro Models LiPo 1S 3.7v. 22.9 Wh. 100C Wt. 144/156 g. | Sample complies with BRCA dimensions. Sample Wt. 150.7 g. | 08.01.15 |
| ProTek RC | ProTek RC # PTK 5105-15 |  | ProTek LiPo 1S 3.7v. 20.0 Wh. 100C Wt. 139/151 g. | Sample complies with BRCA dimensions. Sample Wt. 144.7 g. | 08.01.15 |
| Shenzhen Grepow | GensAce # B50C70001S1 P H/Case11 |  | GensAce LiPo 1S 3.7v. 25.9 Wh. 50C Wt. 139/151 g. | Sample complies with BRCA dimensions. Sample Wt. 144.6 g. | 08.01.15 |
| Tianco | ORCA Infinite # OBHV68T6 |  | Tianco LiPo 1S 3.7v. 25.2 Wh. 100C Wt. 139/151 g. | Sample complies with BRCA dimensions. Sample Wt. 141.7 g. | 08.01.15 |
| Yokomo | Max Power # YBP169BE |  | Yokomo LiPo 1S 3.7v. 25.5 Wh. 75C Wt. 147/159 g. | Sample complies with BRCA dimensions. Sample Wt. 148.1 g. | 08.01.15 |
| HexTronic | Ultimate # NC6400.1S2P.9 |  | HobbyKing LiPo 1S 3.7v. 23.7 Wh. 90C Wt. 134/146 g. 5 mm. Tubes | Sample complies with BRCA dimensions. Sample Wt. 143.1 g. | 08.01.15 |
| Overlander | Overlander # SKU 2805 |  | Overlander LiPo 1S 3.7v. 22.2 Wh. 100C Wt. 144/156 g. 3.5 mm. Tubes. | Sample complies with BRCA dimensions. Sample Wt. 149.9 g. | 08.01.15 |

| | | | | | |
|--------------------------|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------|----------------------------------------------------------------|----------|
| Schumacher Racing | CORE-RC # CR292 |  | Core RC LiPo 1S 3.7v. 11.8 Wh. 30C Wt. 94/102 g. | Sample complies with BRCA dimensions. Sample Wt. 98.6 g. | 08.01.15 |
| MB Models | Ball Out Performance # BO1SV1 |  | MB Models LiPo 1S 3.7v. 26.0 Wh. 70C Wt. 146/158 g. | Sample complies with BRCA dimensions. Wt. 153.8 g. | 05.07.14 |
| Calandra Racing Concepts | CRC Rocket Fuel # CRC 3705 |  | CRC LiPo 1S 3.7v. 25.9 Wh. 90C Wt. 146/158 g. | Sample complies with BRCA dimensions. Wt. 150.0 g. | 01.03.14 |
| Hobbico RC | TrakPower # TKPC0605 |  | TrakPower LiPo 1S 3.7v. 24.0 Wh. 90C Wt. 144/156 g. | Sample complies with BRCA dimensions. Wt. 151.4 g. | 05.01.14 |
| Intellect Battery | IP # CC1S7000V9 |  | Intellect LiPo 1S 3.7v. 26.0 Wh. 90C Wt. 144/156 g. | Sample complies with BRCA dimensions. Wt. 151.7 g. | 05.01.14 |
| VTEC LRP | VTEC # 430212 |  | LRP LiPo 1S 3.7v. 24.4 Wh. 50C Wt. 146/158 g. | Sample complies with BRCA dimensions. Wt. 154.3 g. | 05.01.14 |
| Modern Creations | Team Silverback SpiralX # 6000901SIN |  | Team Silverback LiPo 1S 3.7v. 22.2 Wh. 90C Wt. 139/151 g. | Sample complies with BRCA dimensions. Wt. 148.5 g. | 05.01.14 |
| Muchmore Racing | Muchmore Impact # MLI-T6400FD |  | Muchmore LiPo 1S 3.7v. 23.7 Wh. 70C Wt. 144/156 g. | Sample complies with BRCA dimensions. Wt. 148.1 g. | 05.01.14 |
| VTEC Nosram | Nosram X-treme Race # 999509 |  | Nosram LiPo 1S 3.7v. 24.4 Wh. 50C Wt. 146/158 g. | Sample complies with BRCA dimensions. Wt. 154.3 g. | 05.01.14 |
| Pro Models BVBA | Corally # 48261 |  | Corally LiPo 1S 3.7v. 23.7 Wh. 90C Wt. 135/147 g. | Sample complies with BRCA dimensions. Wt. 139.8 g. | 05.01.14 |
| ProTek RC | ProTek RC # PTK 5105-14 |  | ProTek LiPo 1S 3.7v. 23.6 Wh. 100C Wt. 144/156 g. | Sample complies with BRCA dimensions. Wt. 152.1 g. | 05.01.14 |
| Tianco | ORCA Infinite # OB6890C5 |  | Orca LiPo 1S 3.7v. 25.2 Wh. 90C Wt. 144/156 g. | Sample complies with BRCA dimensions. Wt. 151.8 g. | 05.01.14 |
| Trinity Revtech Epic | RevTech FormulaX # REV2018-5 |  | Revtech LiPo 1S 3.7v. 26.3 Wh. 100C Wt. 146/158 g. 5mm. Tubes | Sample complies with BRCA dimensions. Wt. 150.9 g. | 05.01.14 |
| Xcite RC | Xcite Energy XXL # 56600104 |  | Xcite LiPo 1S 3.7v. 24.1 Wh. 80C Wt. 144/156 g. | Sample complies with BRCA dimensions. Wt. 151.8 g. | 05.01.14 |

| | | | | | |
|-------------------------|---------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------|------------------------------------------------------------------|----------|
| Italtrading | EZ-Power # EZP6600/1 |  | Ital LiPo 1S 3.7v. 24.4 Wh. 70C Wt. 144/156 g. | Sample complies with BRCA dimensions. Wt. 151.1 g. | 05.01.14 |
| nVision | nVision # NVO 1117 |  | nVision LiPo 1S 3.7v. 25.9 Wh. 100C Wt. 136/148 g. | Sample complies with BRCA dimensions. Wt. 145.4 g. | 05.01.14 |
| Associated Electrics | Reedy # 312 |  | Reedy LiPo 1S 3.7v. 26.0 Wh. 65C Wt. 149/161 g. | Complies with BRCA. specified dimensions. Wt. 153.2 g. | 03.07.13 |
| Tricorp | Sting # A7000SH90 |  | Tricorp LiPo 1S 3.7v. 25.90 Wh. 90C Wt. 146/158 g. | Complies with BRCA. specified dimensions. Wt. 154.3 g. | 03.07.13 |
| Team Epic | ReVtech REV2018 |  | Team Epic LiPo 1S 3.7v. 20.72 Wh. 60C Wt. 146/158 g. | Complies with BRCA. specified dimensions. Wt. 148.9 g. | 03.07.13 |
| Team Epic | ReVtech REV2019 |  | Team Epic LiPo 1S 3.7v. 20.72 Wh. 60C Wt. 144/156 g. | Complies with BRCA. specified dimensions. Wt. 152.3 g. | 03.07.13 |
| Advanced Energy | Thunder Power RC # TP6800- 1SAE65 |  | Thunder Power LiPo 1S 3.7v. 25.2 Wh. 65C Wt. 143/155 g. | Complies with BRCA. specified dimensions. Wt. 149.3 g. | 02.01.13 |
| Associated Electrics | Reedy # 603 |  | Reedy LiPo 1S 3.7v. 25.0 Wh. 65C Wt. 142/154 g. | Complies with BRCA. specified dimensions. Wt. 147.5 g. | 02.01.13 |
| Intellect Battery | IP # CC1S6600V8 |  | Intellect LiPo 1S 3.7v. 24.0 Wh. 80C Wt. 142/154 g. | Complies with BRCA. specified dimensions. Wt. 148.1 g. | 02.01.13 |
| King Golden | Speedpower # SF000009 |  | King Golden LiPo 1S 3.7v. 20.05 Wh. 70C Wt. 141/153 g. | Complies with BRCA. specified dimensions. Wt. 147.5 g. | 02.01.13 |
| VTEC | VTEC # 430202 |  | LRP LiPo 1S 3.7v. 25.5 Wh. 50C Wt. 144/156 g. | Complies with BRCA. specified dimensions. Wt. 150.5 g. | 02.01.13 |
| Modern Creations | Team Silverback Venus # 7000751SIN |  | Team Silverback LiPo 1S 3.7v. 25.9 Wh. 75C Wt. 146/158 g. | Complies with BRCA. specified dimensions. Wt. 152.3 g. | 02.01.13 |
| VTEC | Nosram X-treme Race # 999502 |  | Nosram LiPo 1S 3.7v. 25.5 Wh. 50C Wt. 144/156 g. | Complies with BRCA. specified dimensions. Wt. 151.4 g. | 02.01.13 |
| Tianco | ORCA Infinite # OB6581S4 |  | Tianco LiPo 1S 3.7v. 24.0 Wh. 80C Wt. 142/154 g. | Complies with BRCA. specified dimensions. Wt. 146.9 g. | 02.01.13 |

| | | | | | |
|-------------------|-------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|----------|
| Vapex Technology | VP Racing # VP95095 |  | Vapex LiPo 1S 3.7v. 25.0 Wh. 65C Wt. 146/158 g. | Complies with BRCA. specified dimensions. Wt. 152.5 g. | 02.01.13 |
| RC Explorer | Team Powers # TP660075C1S |  | RC Explorer LiPo 1S 3.7v. 25.0 Wh. 75C Wt. 142/154 g. | Complies with BRCA. specified dimensions. Wt. 148.7 g. | 02.01.13 |
| Advanced Energy | Thunder Power RC # TP5400-1SPR65 |  | Thunder Power LiPo 1S 3.7v. 20.0 Wh. 65C Wt. 141/153 g. | Length: 92.76 mm. Width: 46.69 mm. High: 18.36 mm. Wt. 146.4 g. | 02.01.12 |
| Advanced Energy | Thunder Power RC # TP6200-1SAE65 |  | Thunder Power LiPo 1S 3.7v. 23.0 Wh. 65C Wt. 144/156 g. | Length: 92.91 mm. Width: 46.77 mm. High: 18.40 mm. Wt. 146.0 g. | 02.01.12 |
| Graupner | GM V-MAXX # 99016 |  | GM LiPo 1S 3.7v. 23.7 Wh. 70C Wt. 144/156 g. | Length: 92.83 mm. Width: 46.29 mm. High: 18.16 mm. Wt. 147.3 g. | 02.01.12 |
| Intellect Battery | IP # CC1S6400V7 |  | Intellect LiPo 1S 3.7v. 24.0 Wh. 70C Wt. 144/156 g. | Length: 92.84 mm. Width: 46.50 mm. High: 18.19 mm. Wt. 148.5 g. | 02.01.12 |
| VTEC | VTEC # 79843 |  | LRP LiPo 1S 3.7v. 23.3 Wh. 55C Wt. 145/157 g. | Length: 92.42 mm. Width: 46.39 mm. High: 17.99 mm. Wt. 149.0 g. Has chassis location. | 02.01.12 |
| VTEC | VTEC # 79842 |  | LRP LiPo 1S 3.7v. 25.2 Wh. 50C Wt. 150/162 g. | Length: 92.46 mm. Width: 46.27 mm. High: 18.45 mm. Wt. 153.6 g. Has chassis location. | 02.01.12 |
| VTEC | Nosram X-treme Race # 99940 |  | Nosram LiPo 1S 3.7v. 23.3 Wh. 55C Wt. 144/156 g. | Length: 92.56 mm. Width: 46.40 mm. High: 18.08 mm. Wt. 149.1 g. Has chassis location. | 02.01.12 |
| VTEC | Nosram X-treme Race # 99939 |  | Nosram LiPo 1S 3.7v. 25.2 Wh. 50C Wt. 152/164 g. | Length: 92.66 mm. Width: 46.37 mm. High: 18.45 mm. Wt. 154.4 g. Has chassis location. | 02.01.12 |
| RFI Battery | RFI # 7346 |  | RFI LiPo 1S 3.7v. 21.46 Wh. 60C Wt. 141/153 g. | Length: 92.63 mm. Width: 46.41 mm. High: 18.22 mm. Wt. 153.0 g. | 02.01.12 |
| RFI Battery | RFI # 7344 |  | RFI LiPo 1S 3.7v. 22.2 Wh. 45C Wt. 140/152 g. | Length: 92.59 mm. Width: 46.44 mm. High: 18.17 mm. Wt. 150.1 g. | 02.01.12 |
| RFI Battery | RFI # 7340 |  | RFI LiPo 1S 3.7v. 22.94 Wh. 30C Wt. 142/154 g. | Length: 92.44 mm. Width: 46.42 mm. High: 18.19 mm. Wt. 151.5 g. | 02.01.12 |
| Team Epic | ReVtech REV2004 |  | Team Epic LiPo 1S 3.7v. 20.72 Wh. 60C Wt. 145/157 g. | Length: 92.71 mm. Width: 46.63 mm. High: 18.32 mm. Wt. 151.7 g. | 02.01.12 |

| | | | | | |
|--------------------------|--------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------|---------------------------------------------------------------------------------|----------|
| Team Epic | ReVtech REV2012 |  | Team Epic LiPo 1S 3.7v. 23.5 Wh. 65C Wt. 143/155 g. | Length: 92.70 mm. Width: 46.57 mm. High: 18.27 mm. Wt. 149.2 g. | 02.01.12 |
| Vapex Technology | VP Racing # VP94319 |  | Vapex LiPo 1S 3.7v. 20.5 Wh. 65C Wt. 145/157 g. | Length: 92.46 mm. Width: 46.41 mm. High: 18.34 mm. Wt. 151.0 g. | 02.01.12 |
| Tianco | ORCA Infinite # OB6560IS |  | Tianco LiPo 1S 3.7v. 24.0 Wh. 70C Wt. 144/156 g. | Length: 92.87 mm. Width: 46.36 mm. High: 18.31 mm. Wt. 147.9 g. | 02.01.12 |
| Calandra Racing Concepts | CRC Rocket Fuel # CRC 3701 |  | CRC LiPo 1S 3.7v. 20.72 Wh. 65C Wt. 143/155 g. | Length: 92.96 mm. Width: 45.91 mm. High: 18.08 mm. Wt. 147.5 g. | 02.07.11 |
| Advanced Electronics | Advanced Batteries. # ADV3110 |  | ADV LiPo 1S 3.7v. 6000 mah. 60C Wt. 145/155 g. | Length: 92.90 mm. Width: 46.24 mm. High: 18.45 mm. Wt. 147.5 g. | 02.07.11 |
| Advanced Energy | Thunder Power RC # TP5800-1SPR65 |  | Thunder Power LiPo 1S 3.7v. 5800 mah. 65C Wt. 142/154 g. | Length: 92.81 mm. Width: 46.71 mm. High: 18.36 mm. Wt. 149.5 g. | 02.07.11 |
| Vapex | VP Racing # VP94319 |  | VP Racing LiPo 1S 3.7v. 5500 mah. 65C Wt. 138/150 g. | Length: 92.67 mm. Width: 46.47 mm. High: 18.24 mm. Wt. 144.5 g. | 02.07.11 |
| Vapex | VP Racing # VP94326 |  | VP Racing LiPo 1S 3.7v. 6000 mah. 50C Wt. 142/153 g. | Length: 92.68 mm. Width: 46.48 mm. High: 18.22 mm. Wt. 147.7 g. | 02.07.11 |
| Vapex | VP Racing # VP94333 |  | VP Racing LiPo 1S 3.7v. 6500 mah. 40C Wt. 140/151 g. | Length: 92.64 mm. Width: 46.47 mm. High: 18.27 mm. Wt. 145.5 g. | 02.07.11 |
| Muchmore | Impact # MLI-T6000P |  | Muchmore LiPo 1S 3.7v. 6000 mah. 60C Wt. 137/147 g. | Length: 92.97 mm. Width: 46.35 mm. High: 18.40 mm. Wt. 142.5 g. | 02.07.11 |
| Associated Electrics | Reedy # 600 |  | Reedy LiPo 1S 3.7v. 6500 mah. 65C Wt. 151/161 g. | Length: 92.64 mm. Width: 46.41 mm. High: 18.42 mm. Wt. 154.0 g. | 02.07.11 |
| Advanced Energy | Thunder Power RC # TP5400-1SPR65B |  | Thunder Power LiPo 1S 3.7v. 5400 mah. 65C Wt. 141/153 g. | Length: 92.95 mm. Width: 46.92 mm. High: 18.44 mm. Wt. 147.3 g. | 02.07.11 |
| Advanced Energy | Thunder Power RC # TP5400-1SPR65D |  | Thunder Power LiPo 1S 3.7v. 5400 mah. 65C Wt. w/wire 150/162 g. | Length: 92.86 mm. Width: 46.83 mm. High: 18.27 mm. Wt. w/wire 152.4 g. | 02.07.11 |
| Associated Electrics | Reedy # 629 |  | Reedy LiPo 1S 3.7v. 5500 mah. 60C Wt. 150/162 g. | Length: 92.70 mm. Width: 46.50 mm. High: 18.29 mm. Wt. 155.9 g. | 02.07.11 |

| | | | | | |
|---------------------------|--------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------|---------------------------------------------------------------------------------------------------|----------|
| Graupner | GM V-MAXX # 99005 |  | GM LiPo 1S 3.7v. 5800 mah. 60C. Wt. 144/156 g. | Length: 92.80 mm. Width: 46.26 mm. High: 18.17 mm. Wt. 146.8 g. | 02.07.11 |
| Intellect Battery | IP # CC1S6000V6 |  | Intellect LiPo 1S 3.7v. 6000 mah. 60C Wt. 144/156 g. | Length: 92.75 mm. Width: 46.36 mm. High: 18.38 mm. Wt. 147.8 g. | 02.07.11 |
| VTEC | VTEC Competition Car Line # 79887 |  | LRP LiPo 1S 3.7v. 21.5 Wh. 65C Wt. 144/156 g. | Length: 92.30 mm. Width: 46.23 mm. High: 18.24 mm. Wt. 147.4 g. Has chassis location. | 02.07.11 |
| VTEC | Nosram X-treme Race # 99952 |  | Nosram LiPo 1S 3.7v. 21.5 Wh. 65C Wt. 144/156 g. | Length: 92.28 mm. Width: 46.23 mm. High: 18.29 mm. Wt. 147.4 g Has chassis location. | 02.07.11 |
| Robitronic Electronic | Robitronic # RO5243 |  | Robitronic LiPo 1S 3.7v. 5500 ?? 60C Wt. 149/161 g. | Length: 92.95 mm. Width: 46.39 mm. High: 18.39 mm. Wt. 153.5 g. | 02.07.11 |
| Superior Matching Concept | SMC C-Max # 5660SI |  | SMC LiPo 1S 3.7v. 5600 mah. 60C Wt. 140/152 g. | Length: 92.85 mm. Width: 46.56 mm. High: 18.36 mm. Wt. 144.8 g. | 02.07.11 |
| Superior Matching Concept | SMC Sport Max # 6028SI |  | SMC LiPo 1S 3.7v. 6000 mah. 28C Wt. 138/150 g. | Length: 92.84 mm. Width: 46.60 mm. High: 18.31 mm. Wt. 145.5 g. | 02.07.11 |
| Team ORION | ORION Carbon Pro # ORI14039 |  | Orion LiPo 1S 3.7v. 23.7 Wh. 90C Wt. 138/150 g. | Length: 92.87 mm. Width: 46.34 mm. High: 18.25 mm. Wt. 144.8 g. | 02.07.11 |
| nVision | nVision # NV1101 |  | nVision LiPo 1S 3.7v. 6400 mah. 90C Wt. 138/150 g. | Length: 92.78 mm. Width: 46.25 mm. High: 18.41 mm. Wt. 147.5 g. | 02.07.11 |
| Tianco | ORCA Infinite # OB6161IS |  | Tianco LiPo 1S 3.7v. 6000 mah. 60C Wt. 144/156 g. | Length: 92.81 mm. Width: 46.23 mm. High: 18.50 mm. Wt. 147.8 g. | 02.07.11 |
| Vampire Racing | Vampire # VR-1014 |  | Vampire LiPo 1S 3.7v. 5700 mah. 50C Wt. 141/153 g. | Length: 92.71 mm. Width: 46.23 mm. High: 18.40 mm. Wt. 141.6 g. | 02.07.11 |
| Calandra Racing Concepts | CRC Maxxcell # CRC 3702 |  | CRC LiPo 1S 3.7v. 6300 mah. 50C Wt. 144/156 g. | Length: 92.74 mm. Width: 45.97 mm. High: 18.23 mm. Wt. 149.2 g. | 02.07.11 |
| Team Powers | Team Powers # TP-6000-60C-1S |  | Team Powers LiPo 1S 3.7v. 6000 mah. 60C Wt. 142/155 g. | Length: 92.72 mm. Width: 46.34 mm. High: 18.49 mm. Wt. 141.8 g. | 02.07.11 |
| Xcelorin | Xcelorin # LOSB9879 |  | SMC LiPo 1S 3.7v. 5600 mah. 60C Wt. 140/152 g. | Length: 92.56 mm. Width: 46.44 mm. High: 18.36 mm. Wt. 145.1 g. | 02.07.11 |

| | | | | | |
|----------------------|-----------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|----------|
| Calandra | CRC Maxxcell # CRC3700 |  | CRC LiPo 1S 3.7v. 5200 mah 50C | Length: 92.98 mm. Width: 46.04 mm. High: 18.50 mm. Wt. 136.6 g | 29.03.10 |
| VTEC | LRP Competition car line. # 79877 |  | LRP LiPo 1S 3.7v. 5400. 50C | Length: 92.72 mm. Width: 46.44 mm. High: 18.14 mm. Wt. 135.4 g Has chassis location. | 27.01.10 |
| ORION | ORION Carbon. # ORI14032 |  | ORION LiPo 1S 3.7v. 4200. 45C | Length: 92.70 mm. Width: 46.63 mm. High: 18.39 mm. Wt. 123.0 g | 27.01.10 |
| Xceed | Xceed Race Pack # 105112 |  | Xceed LiPo 1S 3.7v. 5000 mah. 40C | Length: 92.86 mm. Width: 46.07 mm. High: 18.22 mm. Wt. inc. wire 152.5 g | 27.01.10 |
| Graupner | GM V-MAXX # 98979 |  | GM LiPo 1S 3.7v. 5400 mah. 40C Case Black or C/Fibre | Length: 92.76 mm. Width: 46.01 mm. High: 17.88 mm. Wt. inc. wire 150.2 g | 27.01.10 |
| First Strong | SpeedPower # SLR5041C |  | SpeedPower LiPo 1S 3.7v. 5500 mah. 45C | Length: 92.93 mm. Width: 46.05 mm. High: 18.20 mm. Wt. inc. wire 151.2 g | 27.01.10 |
| Advanced Energy Inc. | Thunder Power Pro Race # TP5000- 1SPR50 |  | Thunder Power LiPo 1S 3.7v. 5000 mah. 50C | Length: 92.17 mm. Width: 46.39 mm. High: 18.25 mm. Wt. inc. wire 150.2 g | 27.01.10 |
| Desire Power | Desire Power V6 # DCP4800 XP40 |  | Desire Power LiPo 1S 3.7v. 4800 mah. 40C | Length: 92.61 mm. Width: 46.80 mm. High: 18.29 mm. Wt. inc. wire 145.7 g Has chassis location | 27.01.10 |
| CS-Electronic | CS Factory Professional # C211016 |  | CS LiPo 1S 3.7v. 5300 50C | Length: 92.97 mm. Width: 46.15 mm. High: 18.17 mm. Wt. inc. wire 153.2 g | 27.01.10 |
| VTEC | Nosram X-Treme Race # 99947 |  | Nosram LiPo 1S 3.7v. 5400 50C | Length: 92.73 mm. Width: 46.44 mm. High: 18.14 mm. Wt. 134.8 g Has chassis location | 27.01.10 |
| Moore Speed | Moore-speed # MS-B3701 |  | Moore Speed LiPo 1S 3.7v. 4600 mah. 50C | Length: 92.73 mm. Width: 46.49 mm. High: 18.48 mm. Wt. 123.3 g | 27.01.10 |
| Muchmore | Impact # MLI-T5200D |  | Impact LiPo 1S 3.7v. 5200 50C | Length: 92.81 mm. Width: 46.07 mm. High: 17.96 mm. Wt. inc. wire 151.2 g | 18.01.10 |
| SMC | SMC C-MAX # 5350SI |  | SMC LiPo 1S 3.7v. 5300 mah. 50C | Length: 91.73 mm. Width: 45.74 mm. High: 18.00 mm. Wt. 141.0 g | 18.01.10 |
| Not advised | Demon Power Products # DP5040 |  | LiPo 1S 3.7v. 5000 mah. 40C | Length: 93.00 mm. Width: 46.09 mm. High: 18.00 mm. Wt. inc. wire 149.7 g | 16.11.09 |

| | | | | | |
|-------------------------|------------------------------------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------|----------|
| Not advised | Arrowind # TWD40-50001S1P |  | LiPo 1S 3.7v. 5000 mah. 40C | Length: 92.77 mm. Width: 46.05 mm. High: 18.01 mm. Wt. inc. wire 151.4 g | 09.11.09 |
| SMC | SMC C-MAX # 4950SI |  | SMC LiPo 1S 3.7v. 4900 mah. 50C | Length: 92.15 mm. Width: 45.88 mm. High: 18.40 mm. Wt. 137.6 g | 15.10.09 |
| Associated Electrics | Reedy LiPo # 719 |  | Reedy LiPo 1S 3.7v. 4600 mah. 40C 3.5mm Tubes. | Length: 92.74 mm. Width: 46.90 mm. High: 18.02 mm. Wt. 139.4 g Has location features | 12.10.09 |
| Intellect Battery | IP LiPo RACE PACK # HW1S-5000V4 |  | IP LiPo 1S 3.7v. 5000 mah. 40C | Length: 92.87 mm. Width: 46.22 mm. High: 18.07 mm. Wt. inc. wire 151.6 g | 12.10.09 |
| SMC | SMC C-MAX # 4950S |  | SMC LiPo 1S 3.7v. 4900 mah. 50C | Length: 91.99 mm. Width: 45.77 mm. High: 18.19 mm. Wt. inc. wire 145.8 g | 12.10.09 |
| Advanced Energy Inc. | Thunder Power Pro Racer # TP5000-1SPR |  | Thunder Power LiPo 1S 3.7v. 5000 mah. 40C | Length: 92.35 mm. Width: 46.77 mm. High: 18.16 mm. Wt. inc. wire 146.2 g | 05.10.09 |
| SMC | SMC LIGHTNING VOLTS # SUM4025S |  | SMC LiPo 1S 3.7v. 4000 mah. 25C | Length: 92.0 mm. Width: 46.10 mm. High: 17.97 mm. Wt. inc. wire 120.2 g Has location features. | 16.02.09 |

"SPORTS PACK" -- STICK TYPE LiPo BATTERIES

BATTERIES BELOW THIS LEVEL ARE DESIGNATED AS 'SPORTS PACKS'.

'SPORTS PACKS' ARE LIMITED TO:- 14.8 Wh. CAPACITY WITH A Max. RETAIL PRICE OF £25.

SPORTS PACKS ARE ALLOWED FOR USE FROM 15.11.12.

| | | | | | |
|------------------|--------------------|-------------------------------------------------------------------------------------|------------------------------------------|-------------------------------------------------------------------------|----------|
| Schumacher RC | CORE-RC # CR172 |  | Core-RC LiPo 1S 3.7v. 11.8 Wh. 25C | Length: 92.98 mm. Width: 46.30 mm. High: 18.48 mm. Wt. 98.2 g. | 14.11.12 |
|------------------|--------------------|-------------------------------------------------------------------------------------|------------------------------------------|-------------------------------------------------------------------------|----------|

SADDLE' TYPE LiPo BATTERIES.

| | | | | | |
|-----------|-------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------|-----------------------------------------------------------------------------------|----------|
| Speedzone | Speedzone # SZ5200PROS D1S |  | Speedzone LiPo 1S 3.7v. 5200 mah. 50C | Length: 92.48 mm. Width: 45.88 mm. High: 22.89 mm. Wt. inc. wire 155.1 g | 15.02.10 |
|-----------|-------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------|-----------------------------------------------------------------------------------|----------|