



01.12.25

NOTE: These motors differ from Brushless 'Modified' motors.

Sample Motors on this List have been checked for compliance to BRCA Electric Board Brushless Rules, Sections 4, & 6.

Whilst sample Motors submitted have been found to conform with all BRCA rules and requirements, it is the responsibility of ALL

competitors to ensure that the versions they use also comply with all BRCA rules and requirements.

All motors detailed below, must be (or previously have been) available for purchase via. a UK outlet.

Motor Builder	Type/ Range	Illustration only	Distributor	Notes	Approval Date	
Motors below this level must comply with BRCA (EB) Rules :- 6.3 (including 01.03.21 amendment) requiring access to the stator to allow measurement and visual appraisal of the laminates. Also 6.4 & 6.6 (including 01.03.21 amendment) which requires the Rotor to be marked with Name or Logo & Part # on shaft.						
Sky RC	ARES Pro V4 Part # SK 400034-01		Schumacher Racing	Sensored system. Stator open. Caps remove. Wind on stator. Adjustable timing 0/+60 deg. Long screws stainless, timing plate screws magnetic, Al. retaining housing, steel shielded magnetic bearings. Rotor: Part # SK-715317568 on shaft.	01.12.25	
Reds Racing	VX GEN4 MR Design Part # MTTE 0056H	ID.ST I GEN4	Kyosho UK	Must have cut-outs in End-Caps for stator measure. Sensored system. Red Al. timing plate. Adjustable timing 0-50. All screws magnetic, Al. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE 0031 on shaft. Option rotor: MSTE 0041	03.03.25	
Amy Booth Models	ABM G1 Part# ABM10001	ABM- RACING CO. SET	Amy Booth Models	End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & G1 printed on stator. All screws magnetic (brass plated). Al. retaining housing, steel shielded magnetic bearings. Rotor with ABM & Part # ABM10092 on shaft.	06.01.25	
United Sino Enterprises	ORCA Blitreme3A Part # MO24BT3U105A (EFRA version)	GIRANATU -	X-Factory UK	Sensored system. Stator bonded, but has access holes. Wind printed on stator. Adj. timing 5/60. All screws magnetic, steel shielded magnetic bearings. Small dia. steel location pin 5mm long bonded in stator groove. Rotor with ORCA, Part # RT23HS12548 on shaft. Option rotor: RT18M125258 on shaft.	07.10.24	
Reds Racing	VX3 Part # MTTE 0035P	10.5T VX3	Kyosho UK	Sensored system. Red Al. timing plate. Adjustable timing 0-50. End-Caps remove, cut-outs for measuring stator. All screws magnetic, Al. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE0041 on shaft. Option rotor: MSTE0031	07.10.24 Rotor change. See also 2020 Approvals	
Core RC	Core RC Star Series Fixed timing. Part # CR856		Schumacher Racing	Sensored system. "Y" Wind. Black AI. End-Caps with Core RC. Fixed timing. Stator bonded but wind etched on collector ring. All screws magnetic, steel shielded magnetic bearings. Rotor with Name, Part # CR859 on shaft.	04.07.22	
Nosram	XTEC Nosram N22 Part # 920200	n N STOSA ESTES	Schumacher Racing	Sensored system. "Y" Wind. Black Al. End-Cap with XTEC. Adj. timing 0/60. Wind etched on stator, visable. Body screws non-magnetic, timing screws magnetic, steel shielded magnetic bearings. Rotor with Nosram & Part # 920522 on shaft. Option rotor: 920521.	04.07.22	
Ruddog	Ruddog RP542 Part # RP-0446		X-Factory UK	Sensored system. 4 side screws retain End-Cap. Timing insert with Ruddog. Adjustable timing 0/+60. Wind & RP542 on stator visible. 3mm colector ring. All screws magnetic, Al. sensor housing, magnetic steel shielded bearings. Stator bonded. Rotor with name & Part #:- RP-0435 on shaft.	03.05.21	

Team Powers	Actinium V4.0 Pt. # TPBLM 105100 ACT-V4	5. GILIGHHUTI bass	RC-Explorer UK	Sensored system. Black Al. one piece Can. 4 full length slots. Team Powers on End-Cap. Wind on stator. Adjustable timing 0-60. Body screws non-magnetic, timing screws magnetic, Al. sensor housing, steel shielded bearings. Rotor with name, Part # TP125G-R2 on shaft. Option rotor: TP123G-R2	01.03.21		
	Motors below this level must comply with BRCA (EB) Rules :- 6.3 (prior to 01.03.21 amendment) requiring access to the stator to allow measurement and visual appraisal of the laminates. Also 6.4 & 6.6 (prior to 01.03.21 amendment) which requires the Rotor to be marked with Name or Logo & Part #.						
Performa	p1 Radical Stock Part # PA9407	RADICAL RADICAL REPORTS	Answer RC	Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+40. Wind in screw slots. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name. Part # PA9355.	07.12.20 05.07.21 Part # updated		
Konect	K1 Elite Stock Part # K11901007	Reiter MELITE	To be advised	Sensored system. "Y" Wind. Stator not bonded and removes for checking. Wind on stator visible. Adjustable timing 0/60. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part #: K1/12.5C7.2 on flat	06.07.20		
Reds Racing	VX3 Part # MTTE 0035 Also: MTTE 0035C See notes	10.5T VX3	Kyosho UK	Sensored system. "Y" Wind. Red Al. timing plate. Adjustable timing 0-50. Caps. remove, cut-outs for measuring stator. All screws magnetic, Al. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE 0030. Motor with Part # ending with C has non-magnetic long body screws.	03.02.20 07.12.20		
Absima	CTM V.3 Part # 2130059	American UTA B C	Absima UK	Sensored system. Stator removes, access holes. Absima logo End-Cap, wind on sleeve & stator. Adj. timing 0/50. Single collector ring. Body & timing screws non-magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part # CTM STK N42UH.	03.02.20		
Corally	Vulcan Stock Part # C-61110	vulaar 1	CML	Sensored system. "Y" Wind. Can with Vulcan Stock & wind on stator. Adj. timing 0-60 deg. Stator removes. All screws magnetic, Al. sensor housing. Steel shielded bearings. Rotor with name & Part #: 61130	06.01.20		
Surpass	Rocket-RC V5R Part # SUR 51105	POCK WILLS	SMD	Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. 3mm colector ring. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Steel body screws supplied with kit, allowed. Rotor with Surpass, Part # C75125 on shaft. Option rotor: C77123 on shaft.	30.09.19		
LRP	XTEC X22 Part # 520200		Schumacher	Sensored system. Black AI. End-Bell with XTEC. Adj. timing 0/60. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, steel shielded bearings. Rotor with LRP & Part # 520522, 12.5S on shaft. Option rotor: 520521, 12.3S on shaft. Later motors have two full length slots, and are allowed.	11.03.19 20.01.21		
SMC	Lowrider Part # SMCLR42105	School 21	Monitex Racing	Sensored system. "Y" Wind. No centre sleeve, End-Caps remove. Adjustable timing +10/+54 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & part #: LR712542	24.12.18		

Sky RC	ARES Pro. V2.1 Part # SK-400003-57	ARES IPRO	Schumacher Racing	Sensored system. "Y" Wind. Stator removes. Adjustable timing +5/+55 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & part #: SK-400003-20	03.12.18		
Surpass	Rocket V4S Stock Spec. Part # SUR7105	ROEKES STOCK WILLIAM SPEC	SMD	Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with Surpass, Part # C75125 on shaft. Option Rotor: C77123 on shaft.	17.09.18 12.11.18		
Hobbywing	Xerun V10 G3 Pt # 30401112	XERRIN -10.5T -	Schumacher Racing & CML	Sensored system. "Y" Wind. Black Alu. End-Caps, plastic timing insert. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor Part # 30820018. Option rotor 30820406 Later versions can have mounting end-cap chamfer plain aluminium with no black paint.	26.03.18 24.12.18 06.07.20		
Motiv	MC2 Part # MOV101052S		Zen Racing	Sensored system. "Y" Wind. Alu. timing plate with logo. End-Caps remove, hysol stator ends. Adjustable sensor plate timing 0/+40 deg. Has stator access. All screws magnetic, full Al. sensor housing, steel shielded bearings. Rotor part # MOV1330	19.02.18		
Reds Racing	VX2 Part # MTTE 0021	IO.ST VX2	Kyosho UK	Sensored system. "Y" Wind. Red Al. timing adjuster. Adjustable timing 0-50. Stator removes & has wind etched. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # MSTE0017. Option rotor MSTE 0018	19.02.18		
Arrowmax	Dash R-Tune Part # DA740105	RSS125 EXTURE	Schumacher Racing	Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. Wind on stator. All screws magnetic, Al. retaining plate, steel shielded bearings. (Non-magnetic body screws included with kit). Rotor with DASH:- Part # - DA-730003. Shaft RSS125.	01.01.18 19.02.18		
	NOTE: ALL MOTORS SUBMITTED BEFORE 01.11.17, WERE HOMOLOGATED WITH MAGNETIC SCREWS AND STEEL SHIELDED BEARINGS FITTED.						
CI		tems invalidates the Motor Pai	τ# stated and	d contravenes Electric Board Rule 4.3. Sensored system. "Y" Wind. Al. timing plate,			
Muchmore	FLETA ZX V2 Part # MR-V2ZX105ER	FLETAZXZ	MB Models	adjust. timing 0-50. Stator removes but can be seen through holes. Wind etched on stator. Shaft etched with rotor dia. Rotor with name & part #. Rotor Part #: MR-FZR 21Y. Optional rotor #'s: All MR-FZR:	03.07.17		
				18TI, 19Z, 21TIZ, 21Z	31.10.17		
Tesla	Tesla EP Part # TS-194105T-S	SPECIOLS:	CPD	Sensored system. "Y" Wind. Blue Alu. Can & End-Caps. Timing insert with Tesla logo etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible. Rotor Part # TS-194136	15.05.17		
Hobbywing	Xerun Justock 3650 G2 Pt # 30408004	and general transport partners of the state	Schumacher	Sensored system. "Y" Wind. Black Alu. Can & End-Cap with Justock 3650G2. Nickel sintered rotor with one Alu. bal. ring. No timing adjustment. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A.	15.05.17		

R1 Brushless Motor Lab.	R1 Part # R1-105B-125-V15 BRCA & EFRA	10.5	MB Models	Sensored system. "Y" Wind. End-Plate with R1 (only) etched. Stator sleeve with wind. Rotor with black balance ring. Adjustable timing 0-60 deg. Has stator access. Collector ring 3mm thick. Motors with epoxy filled windings not approved. Rotor with name & Part #: R1-125-720-002 Option rotors: R1-123-720-001.	20.02.17
Maclan	MRR Part # MCL1014	Maclan	Inside Line Racing	Sensored system. "Y" Wind. Black Can & End-Cap with copper timing plate & logo. Nickel rotor with one red Alu. bal. ring. Adjustable timing +20/+60 deg. Stator removes easily. Rotor Part #MCL4075. Optional rotors # MCL4076 & MCL4093.	16.01.17
Tianco	ORCA RT Pt. # OMT105RT	ÖRÇÄ J	MB Models	Sensored system. "Y" Wind. Black Can & E/Cap. Stator has access slots. Stator accepts 14.5mm gauge. ORCA RT & wind etched on End-Cap. Adjustable timing +/-50. Rotor with name & Part # ORR325S1. Option rotors:- ORR 425S0, 233SL, 238SL, 253SL, 258SL.	16.01.17
Ruddog	Ruddog RP540 Part # RP-0012	DDOG TOST	X-Factory UK	Sensored system. "Y" Wind. Silver Alu. Can & End-Caps. Timing insert with Ruddog etched. Nickel rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Laminates visible with wind visable on stator. Rotor Part # RP-12.5-7.2	05.09.16
Corally	Dynospeed Spec. 3.0 Part # C-61100	There are a second as a second	X-Factory UK	Sensored system, two ports. "Y" Wind. One end of stator visable but stator removes. Stator has EFRA & wind etched. Wind etched on End-Cap. End-Cap Alum., adjustable timing, no numbers. Rotor with logo, Part # 61130	08.08.16
Tekin	Redline Gen3 Part # TT2708	ENES 10.5T	RC Disco & X-Factory UK	Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721. Option rotors: 2719, 2722	16.05.16
Hobbywing	Xerun V10 G2 Pt # 30101106	Manager 10.5 To a senson to a stock	Schumacher	Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo moulded. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 50 deg. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A Opt. Rotor: # 30820015 stamped 7-12.5-U-B Option End-Cap, timing +30/+60, # 30820054	18.01.16 12.12.16 21.11.16
For Homologations before 2016 See:- Brushless ARCHIVE, All Wind Classes before 2016.					
Paul Worsley, (BRCA Electric Board Tech. Officer). email: paul.g.worsley@gmail.com					01.12.25