

BATTERIES ON THIS HOMOLOGATION LIST HAVE BEEN CERTIFIED FOR COMPLIANCE WITH UN38.3, TESTS T1-T8.

Lithium based (LiPo) batteries detailed below, are approved for various BRCA Electric Classes. Section Rules will detail the type applicable.

BRCA EB rules limit battery energy capacity to comply with Airline Requirements (currently 100Wh.), based on Manufacturers data below.



Batteries approved from 2011 onwards must comply with the weight range specified. Batteries factory sealed (glue, weld etc.).


Battery packs must be able to be disconnected within the Car quickly without the use of tools. Direct soldering is not allowed.




Manufacturers advise that charge rate be restricted to 1C for optimum lifespan, but should not be more than stated below (for 2017 on).

Batteries MUST be charged using a 1S LiPo compatible charger. LiPo 'Sack' must be used when charging or discharging prior to race.


It is strictly NOT ALLOWED, to charge 1S LiPo Batteries to give an output voltage exceeding 4.20v.


Submitted by:	Label Details Part #	Illustration only	Manufacturer Supplied Data.	BRCA measured Specification,	Approval Date
BATTERIES ON THIS LIST WERE APPROVED BY BRCA IN YEARS 2009 - 2018 AND ARE ALLOWED AT 2026 EVENTS.					
CML	Centro # C5001		Centro LiPo 1S 3.7v. 29.6 Wh. 100C Max charge rate: 3C 5 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 157.8 g. Allowed: 150/162 g.	02.07.18
Associated Electrics	Reedy Zappers SG # 27326		Reedy LiPo 1S 3.8v. 32.0 Wh. 110C Max charge rate: 3C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 149.4 g. Allowed: 144/156 g.	16.01.18
Intellect Battery	IP # CC1S7000HV3		Intellect LiPo 1S 3.8v. 27.0 Wh. 120C Max charge rate: 3C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 149.3 g. Allowed: 144/156 g.	16.01.18
Intellect Battery	IP # CC1S8200HV3		Intellect LiPo 1S 3.8v. 31.0 Wh. 120C Max charge rate: 3C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 148.3 g. Allowed: 144/156 g.	16.01.18
LRP	LRP P4 Stock Spec. # 430270		LRP LiPo 1S 3.7v. 23.0 Wh. 120C Max charge rate: 3C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 153.3 g. Allowed: 144/156 g.	16.01.18
LRP	LRP P4 Ultra LCG # 430268		LRP LiPo 1S 3.7v. 29.6 Wh. 120C Max charge rate: 3C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 157.5 g. Allowed: 152/164 g.	16.01.18
Neidhart SA	Orion Ultimate # ORI 14510		Orion LiPo 1S 3.7v. 26.6 Wh. 120C Max charge rate: 3C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 140.5 g. Allowed: 136/148 g.	16.01.18
Neidhart SA	Orion Ultimate HV # ORI 14500		Orion LiPo 1S 3.8v. 28.9 Wh. 120C Max charge rate: 3C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 143.0 g. Allowed: 137/149 g.	16.01.18
Team Corally	Corally Votax # 49635		Corally LiPo 1S 3.8v. 30.4 Wh. 120C Max charge rate: 3C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 148.3 g. Allowed: 144/155 g.	16.01.18
Tianco	ORCA HV Gen. 4 # OBH4851S		Tianco LiPo 1S 3.8v. 32.3 Wh. 120C Max charge rate: 3C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 146.6 g. Allowed: 144/156 g.	16.01.18
Italtrading	EZ-Power # EZP8000/1		Ital LiPo 1S 3.8v. 30.4 Wh. 140C Max charge rate: 3C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 145.6 g. Allowed: 144/156 g.	16.01.18

MB Models	Balls Out # BO8000HV		MB Models LiPo 1S 3.8v. 30.4 Wh. 120C Max charge rate: 3C 5 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 150.3 g. Allowed: 148/160 g.	16.01.18
R1 Brushless Motor Lab.	R1 # R182001S120C		R1 LiPo 1S 3.8v. 31.0 Wh. 120C Max charge rate: 3C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 151.5 g. Allowed: 147/159 g.	16.01.18
Torque RC	Zombie # H80001201SS		Hoomark LiPo 1S 3.8v. 30.4 Wh. 120C Max charge rate: 3C 5 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 151.4 g. Allowed: 147/159 g.	16.01.18
Associated Electrics	Reedy Zappers # 27311		Reedy LiPo 1S 3.8v. 30.4 Wh. 100C Max charge rate: 2C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 151.8 g. Allowed: 149/161 g.	02.07.17
Neidhart SA	Orion # ORI 14069		Orion LiPo 1S 3.8v. 28.5 Wh. 110C Max charge rate: 2C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 132.3 g. Allowed: 128/138 g.	02.07.17
Freemax Metal Products	Arrowmax # AM 700301		Arrowmax LiPo 1S 3.7v. 22.9 Wh. 130C Max charge rate: 1C 5 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 152.4 g. Allowed: 148/160 g.	02.07.17
Freemax Metal Products	Arrowmax # AM 700302		Arrowmax LiPo 1S 3.7v. 29.6 Wh. 110C Max charge rate: 1C 5 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 158.3 g. Allowed: 152/164 g.	02.07.17
Schumacher	Fantom Type R # FAN26187 (Upgrade with 5mm tubes)		Fantom LiPo 1S 3.7v. 28.9 Wh. 100C Max charge rate: 2C 5 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 154.8 g. Allowed: 149/161 g.	02.07.17
Intellect Battery	IP # CC1S8200HV2		Intellect LiPo 1S 3.8v. 31.0 Wh. 120C Max charge rate: 3C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 152.0 g. Allowed: 146/158 g.	05.01.17
Modern Creations	Team Silverback Siren-HV # HV80001001SIN		Modern Creations LiPo 1S 3.8v. 30.4 Wh. 100C Max charge rate: 3C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 148.5 g. Allowed: 142/154 g.	05.01.17
Team Corally	Corally Platinum V+ # 48331		Corally LiPo 1S 3.7v. 25.2 Wh. 100C Max charge rate: 1.4C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 149.1 g. Allowed: 144/156 g.	05.01.17
Team Corally	Corally Platinum V+ # 48333		Corally LiPo 1S 3.7v. 28.9 Wh. 100C Max charge rate: 1.6C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 148.2 g. Allowed: 144/156 g.	05.01.17
Team Corally	Corally Coral-X # 48370		Corally LiPo 1S 3.8v. 28.5 Wh. 100C Max charge rate: 1.5C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 147.2 g. Allowed: 142/154 g.	05.01.17
Tianco	ORCA Gen. 3 # OBH380C1		Tianco LiPo 1S 3.8v. 30.4 Wh. 110C Max charge rate: 3C 4 mm. Tubes	Sample complies with BRCA dimensions. Weights:- Sample: 152.5 g. Allowed: 146/158 g.	05.01.17

Fantom	Fantom Type R # FAN26187		Fantom LiPo 1S 3.7v. 28.86 Wh. 100C Wt. 149/161 g. 4 mm. Tubes.	Sample complies with BRCA dimensions. Sample Wt. 155.4 g.	01.07.16
Intellect Battery	IP # CC1S8000SV1		Intellect LiPo 1S 3.7v. 30.0 Wh. 100C Wt. 150/162 g. 4 mm. Tubes.	Sample complies with BRCA dimensions. Sample Wt. 154.8 g.	14.01.16
LRP	LRP # 430249		LRP LiPo 1S 3.7v. 30.0 Wh. 110C Wt. 152/164 g. 4 mm. Tubes.	Sample complies with BRCA dimensions. Sample Wt. 158.4 g.	14.01.16
Modern Creations	Team Silverback Spiral R # 60001001SIN		Modern Creations LiPo 1S 3.7v. 22.2 Wh. 100C Wt. 147/159 g. 4 mm. Tubes.	Sample complies with BRCA dimensions. Sample Wt. 152.4 g.	14.01.16
Neidhart SA	Orion # ORI 14086		Orion LiPo 1S 3.7v. 27.4 Wh. 110C Wt. 136/148 g. 4 mm. Tubes.	Sample complies with BRCA dimensions. Sample Wt. 141.2 g.	14.01.16
Nosram	Nosram X-treme Race # 999542		Nosram LiPo 1S 3.7v. 30.0 Wh. 110C Wt. 152/164 g. 4 mm. Tubes.	Sample complies with BRCA dimensions. Sample Wt. 156.3 g.	14.01.16
Revell GmbH	TrakPower # TKPC0705		TrakPower LiPo 1S 3.7v. 21.0 Wh. 100C Wt. 136/148 g. 4 mm. Tubes.	Sample complies with BRCA dimensions. Sample Wt. 142.8 g.	14.01.16
Shenzhen Grepow	GensAce # B50C70001S2P H/Case 11		GensAce LiPo 1S 3.7v. 25.9 Wh. 50C Wt. 139/151 g. 4 mm. Tubes	Sample complies with BRCA dimensions. Sample Wt. 143.6 g.	14.01.16
Yokomo	Racing Performer # RPB-80E		Yokomo LiPo 1S 3.7v. 29.6 Wh. 100C Wt. 149/161 g. 4 mm. Tubes.	Sample complies with BRCA dimensions. Sample Wt. 155.4 g.	14.01.16
Muchmore Racing	Impact # MLI-T8000FD2		Muchmore LiPo 1S 3.7v. 29.6 Wh. 110C Wt. 149/161 g. 4 mm. Tubes.	Sample complies with BRCA dimensions. Sample Wt. 156.4 g.	14.01.16
ProTek RC	ProTek RC # PTK 5105-16		ProTek LiPo 1S 3.7v. 27.4 Wh. 100C Wt. 150/162 g. 4 mm. Tubes	Sample complies with BRCA dimensions. Sample Wt. 155.9 g.	14.01.16
Tianco	ORCA Infinite # OBHG76S1		Tianco LiPo 1S 3.7v. 28.1 Wh. 100C Wt. 150/162 g. 4 mm. Tubes	Sample complies with BRCA dimensions. Sample Wt. 156.5 g.	14.01.16
MB Models	Balls Out # BO GT12		MB Models LiPo 1S 3.7v. 22.2 Wh. 70C Wt. 142/154 g. 4 mm. Tubes	Sample complies with BRCA dimensions. Sample Wt. 147.8 g.	14.01.16
MB Models	Balls Out # BO 8000		MB Models LiPo 1S 3.7v. 29.7 Wh. 70C Wt. 151/163 g. 4 mm. Tubes	Sample complies with BRCA dimensions. Sample Wt. 156.6 g.	14.01.16


Schumacher Racing	CORE-RC # CR279		Core RC LiPo 1S 3.7v. 29.6 Wh. 100C Wt. 144/156 g. 4 mm. Tubes	Sample complies with BRCA dimensions. Sample Wt. 154.8 g.	14.01.16
Associated Electrics	Reedy # 320		Reedy LiPo 1S 3.7v. 30.0 Wh. 70C Wt. 154/166 g.	Sample complies with BRCA dimensions. Sample Wt. 159.2 g.	03.07.15
Intellect Battery	IP # CC1S7000SV1		Intellect LiPo 1S 3.7v. 26.0 Wh. 100C Wt. 139/151 g.	Sample complies with BRCA dimensions. Sample Wt. 145.9 g.	08.01.15
LRP	LRP # 430224		LRP LiPo 1S 3.7v. 27.8 Wh. 110C Wt. 144/159 g.	Sample complies with BRCA dimensions. Sample Wt. 151.4 g.	08.01.15
Modern Creations	Team Silverback SpiralX # 7900901SIN		Modern Creations LiPo 1S 3.7v. 29.2 Wh. 90C Wt. 152/164 g.	Sample complies with BRCA dimensions. Sample Wt. 158.6 g.	08.01.15
Neidhart SA	Orion # ORI 14058		Orion LiPo 1S 3.7v. 25.9 Wh. 100C Wt. 139/151 g.	Sample complies with BRCA dimensions. Sample Wt. 141.7 g.	08.01.15
Nosram	Nosram X-treme Race # 999518		Nosram LiPo 1S 3.7v. 27.8 Wh. 110C Wt. 144/156 g.	Sample complies with BRCA dimensions. Sample Wt. 151.8 g.	08.01.15
Pro Models Corally	Corally # 48278		Pro Models LiPo 1S 3.7v. 22.9 Wh. 100C Wt. 144/156 g.	Sample complies with BRCA dimensions. Sample Wt. 150.7 g.	08.01.15
ProTek RC	ProTek RC # PTK 5105-15		ProTek LiPo 1S 3.7v. 20.0 Wh. 100C Wt. 139/151 g.	Sample complies with BRCA dimensions. Sample Wt. 144.7 g.	08.01.15
Shenzhen Grepow	GensAce # B50C70001S1 P H/Case11		GensAce LiPo 1S 3.7v. 25.9 Wh. 50C Wt. 139/151 g.	Sample complies with BRCA dimensions. Sample Wt. 144.6 g.	08.01.15
Tianco	ORCA Infinite # OBHV68T6		Tianco LiPo 1S 3.7v. 25.2 Wh. 100C Wt. 139/151 g.	Sample complies with BRCA dimensions. Sample Wt. 141.7 g.	08.01.15
Yokomo	Max Power # YBP169BE		Yokomo LiPo 1S 3.7v. 25.5 Wh. 75C Wt. 147/159 g.	Sample complies with BRCA dimensions. Sample Wt. 148.1 g.	08.01.15
HexTronic	Ultimate # NC6400.1S2P.9		HobbyKing LiPo 1S 3.7v. 23.7 Wh. 90C Wt. 134/146 g. 5 mm. Tubes	Sample complies with BRCA dimensions. Sample Wt. 143.1 g.	08.01.15
Overlander	Overlander # SKU 2805		Overlander LiPo 1S 3.7v. 22.2 Wh. 100C Wt. 144/156 g. 3.5 mm. Tubes.	Sample complies with BRCA dimensions. Sample Wt. 149.9 g.	08.01.15

Schumacher Racing	CORE-RC # CR292		Core RC LiPo 1S 3.7v. 11.8 Wh. 30C Wt. 94/102 g.	Sample complies with BRCA dimensions. Sample Wt. 98.6 g.	08.01.15
MB Models	Ball Out Performance # BO1SV1		MB Models LiPo 1S 3.7v. 26.0 Wh. 70C Wt. 146/158 g.	Sample complies with BRCA dimensions. Wt. 153.8 g.	05.07.14
Calandra Racing Concepts	CRC Rocket Fuel # CRC 3705		CRC LiPo 1S 3.7v. 25.9 Wh. 90C Wt. 146/158 g.	Sample complies with BRCA dimensions. Wt. 150.0 g.	01.03.14
Hobbico RC	TrakPower # TKPC0605		TrakPower LiPo 1S 3.7v. 24.0 Wh. 90C Wt. 144/156 g.	Sample complies with BRCA dimensions. Wt. 151.4 g.	05.01.14
Intellect Battery	IP # CC1S7000V9		Intellect LiPo 1S 3.7v. 26.0 Wh. 90C Wt. 144/156 g.	Sample complies with BRCA dimensions. Wt. 151.7 g.	05.01.14
VTEC LRP	VTEC # 430212		LRP LiPo 1S 3.7v. 24.4 Wh. 50C Wt. 146/158 g.	Sample complies with BRCA dimensions. Wt. 154.3 g.	05.01.14
Modern Creations	Team Silverback SpiralX # 6000901SIN		Team Silverback LiPo 1S 3.7v. 22.2 Wh. 90C Wt. 139/151 g.	Sample complies with BRCA dimensions. Wt. 148.5 g.	05.01.14
Muchmore Racing	Muchmore Impact # MLI-T6400FD		Muchmore LiPo 1S 3.7v. 23.7 Wh. 70C Wt. 144/156 g.	Sample complies with BRCA dimensions. Wt. 148.1 g.	05.01.14
VTEC Nosram	Nosram X-treme Race # 999509		Nosram LiPo 1S 3.7v. 24.4 Wh. 50C Wt. 146/158 g.	Sample complies with BRCA dimensions. Wt. 154.3 g.	05.01.14
Pro Models BVBA	Corally # 48261		Corally LiPo 1S 3.7v. 23.7 Wh. 90C Wt. 135/147 g.	Sample complies with BRCA dimensions. Wt. 139.8 g.	05.01.14
ProTek RC	ProTek RC # PTK 5105-14		ProTek LiPo 1S 3.7v. 23.6 Wh. 100C Wt. 144/156 g.	Sample complies with BRCA dimensions. Wt. 152.1 g.	05.01.14
Tianco	ORCA Infinite # OB6890C5		Orca LiPo 1S 3.7v. 25.2 Wh. 90C Wt. 144/156 g.	Sample complies with BRCA dimensions. Wt. 151.8 g.	05.01.14
Trinity Revtech Epic	RevTech FormulaX # REV2018-5		Revtech LiPo 1S 3.7v. 26.3 Wh. 100C Wt. 146/158 g. 5mm. Tubes	Sample complies with BRCA dimensions. Wt. 150.9 g.	05.01.14
Xcite RC	Xcite Energy XXL # 56600104		Xcite LiPo 1S 3.7v. 24.1 Wh. 80C Wt. 144/156 g.	Sample complies with BRCA dimensions. Wt. 151.8 g.	05.01.14

Italtrading	EZ-Power # EZP6600/1		Ital LiPo 1S 3.7v. 24.4 Wh. 70C Wt. 144/156 g.	Sample complies with BRCA dimensions. Wt. 151.1 g.	05.01.14
nVision	nVision # NVO 1117		nVision LiPo 1S 3.7v. 25.9 Wh. 100C Wt. 136/148 g.	Sample complies with BRCA dimensions. Wt. 145.4 g.	05.01.14
Associated Electrics	Reedy # 312		Reedy LiPo 1S 3.7v. 26.0 Wh. 65C Wt. 149/161 g.	Complies with BRCA. specified dimensions. Wt. 153.2 g.	03.07.13
Tricorp	Sting # A7000SH90		Tricorp LiPo 1S 3.7v. 25.90 Wh. 90C Wt. 146/158 g.	Complies with BRCA. specified dimensions. Wt. 154.3 g.	03.07.13
Team Epic	ReVtech REV2018		Team Epic LiPo 1S 3.7v. 20.72 Wh. 60C Wt. 146/158 g.	Complies with BRCA. specified dimensions. Wt. 148.9 g.	03.07.13
Team Epic	ReVtech REV2019		Team Epic LiPo 1S 3.7v. 20.72 Wh. 60C Wt. 144/156 g.	Complies with BRCA. specified dimensions. Wt. 152.3 g.	03.07.13
Advanced Energy	Thunder Power RC # TP6800- 1SAE65		Thunder Power LiPo 1S 3.7v. 25.2 Wh. 65C Wt. 143/155 g.	Complies with BRCA. specified dimensions. Wt. 149.3 g.	02.01.13
Associated Electrics	Reedy # 603		Reedy LiPo 1S 3.7v. 25.0 Wh. 65C Wt. 142/154 g.	Complies with BRCA. specified dimensions. Wt. 147.5 g.	02.01.13
Intellect Battery	IP # CC1S6600V8		Intellect LiPo 1S 3.7v. 24.0 Wh. 80C Wt. 142/154 g.	Complies with BRCA. specified dimensions. Wt. 148.1 g.	02.01.13
King Golden	Speedpower # SF000009		King Golden LiPo 1S 3.7v. 20.05 Wh. 70C Wt. 141/153 g.	Complies with BRCA. specified dimensions. Wt. 147.5 g.	02.01.13
VTEC	VTEC # 430202		LRP LiPo 1S 3.7v. 25.5 Wh. 50C Wt. 144/156 g.	Complies with BRCA. specified dimensions. Wt. 150.5 g.	02.01.13
Modern Creations	Team Silverback Venus # 7000751SIN		Team Silverback LiPo 1S 3.7v. 25.9 Wh. 75C Wt. 146/158 g.	Complies with BRCA. specified dimensions. Wt. 152.3 g.	02.01.13
VTEC	Nosram X-treme Race # 999502		Nosram LiPo 1S 3.7v. 25.5 Wh. 50C Wt. 144/156 g.	Complies with BRCA. specified dimensions. Wt. 151.4 g.	02.01.13
Tianco	ORCA Infinite # OB6581S4		Tianco LiPo 1S 3.7v. 24.0 Wh. 80C Wt. 142/154 g.	Complies with BRCA. specified dimensions. Wt. 146.9 g.	02.01.13

Vapex Technology	VP Racing # VP95095		Vapex LiPo 1S 3.7v. 25.0 Wh. 65C Wt. 146/158 g.	Complies with BRCA. specified dimensions. Wt. 152.5 g.	02.01.13
RC Explorer	Team Powers # TP660075C1S		RC Explorer LiPo 1S 3.7v. 25.0 Wh. 75C Wt. 142/154 g.	Complies with BRCA. specified dimensions. Wt. 148.7 g.	02.01.13
Advanced Energy	Thunder Power RC # TP5400-1SPR65		Thunder Power LiPo 1S 3.7v. 20.0 Wh. 65C Wt. 141/153 g.	Length: 92.76 mm. Width: 46.69 mm. High: 18.36 mm. Wt. 146.4 g.	02.01.12
Advanced Energy	Thunder Power RC # TP6200-1SAE65		Thunder Power LiPo 1S 3.7v. 23.0 Wh. 65C Wt. 144/156 g.	Length: 92.91 mm. Width: 46.77 mm. High: 18.40 mm. Wt. 146.0 g.	02.01.12
Graupner	GM V-MAXX # 99016		GM LiPo 1S 3.7v. 23.7 Wh. 70C Wt. 144/156 g.	Length: 92.83 mm. Width: 46.29 mm. High: 18.16 mm. Wt. 147.3 g.	02.01.12
Intellect Battery	IP # CC1S6400V7		Intellect LiPo 1S 3.7v. 24.0 Wh. 70C Wt. 144/156 g.	Length: 92.84 mm. Width: 46.50 mm. High: 18.19 mm. Wt. 148.5 g.	02.01.12
VTEC	VTEC # 79843		LRP LiPo 1S 3.7v. 23.3 Wh. 55C Wt. 145/157 g.	Length: 92.42 mm. Width: 46.39 mm. High: 17.99 mm. Wt. 149.0 g. Has chassis location.	02.01.12
VTEC	VTEC # 79842		LRP LiPo 1S 3.7v. 25.2 Wh. 50C Wt. 150/162 g.	Length: 92.46 mm. Width: 46.27 mm. High: 18.45 mm. Wt. 153.6 g. Has chassis location.	02.01.12
VTEC	Nosram X-treme Race # 99940		Nosram LiPo 1S 3.7v. 23.3 Wh. 55C Wt. 144/156 g.	Length: 92.56 mm. Width: 46.40 mm. High: 18.08 mm. Wt. 149.1 g. Has chassis location.	02.01.12
VTEC	Nosram X-treme Race # 99939		Nosram LiPo 1S 3.7v. 25.2 Wh. 50C Wt. 152/164 g.	Length: 92.66 mm. Width: 46.37 mm. High: 18.45 mm. Wt. 154.4 g. Has chassis location.	02.01.12
RFI Battery	RFI # 7346		RFI LiPo 1S 3.7v. 21.46 Wh. 60C Wt. 141/153 g.	Length: 92.63 mm. Width: 46.41 mm. High: 18.22 mm. Wt. 153.0 g.	02.01.12
RFI Battery	RFI # 7344		RFI LiPo 1S 3.7v. 22.2 Wh. 45C Wt. 140/152 g.	Length: 92.59 mm. Width: 46.44 mm. High: 18.17 mm. Wt. 150.1 g.	02.01.12
RFI Battery	RFI # 7340		RFI LiPo 1S 3.7v. 22.94 Wh. 30C Wt. 142/154 g.	Length: 92.44 mm. Width: 46.42 mm. High: 18.19 mm. Wt. 151.5 g.	02.01.12
Team Epic	ReVtech REV2004		Team Epic LiPo 1S 3.7v. 20.72 Wh. 60C Wt. 145/157 g.	Length: 92.71 mm. Width: 46.63 mm. High: 18.32 mm. Wt. 151.7 g.	02.01.12

Team Epic	ReVtech REV2012		Team Epic LiPo 1S 3.7v. 23.5 Wh. 65C Wt. 143/155 g.	Length: 92.70 mm. Width: 46.57 mm. High: 18.27 mm. Wt. 149.2 g.	02.01.12
Vapex Technology	VP Racing # VP94319		Vapex LiPo 1S 3.7v. 20.5 Wh. 65C Wt. 145/157 g.	Length: 92.46 mm. Width: 46.41 mm. High: 18.34 mm. Wt. 151.0 g.	02.01.12
Tianco	ORCA Infinite # OB6560IS		Tianco LiPo 1S 3.7v. 24.0 Wh. 70C Wt. 144/156 g.	Length: 92.87 mm. Width: 46.36 mm. High: 18.31 mm. Wt. 147.9 g.	02.01.12
Calandra Racing Concepts	CRC Rocket Fuel # CRC 3701		CRC LiPo 1S 3.7v. 20.72 Wh. 65C Wt. 143/155 g.	Length: 92.96 mm. Width: 45.91 mm. High: 18.08 mm. Wt. 147.5 g.	02.07.11
Advanced Electronics	Advanced Batteries. # ADV3110		ADV LiPo 1S 3.7v. 6000 mah. 60C Wt. 145/155 g.	Length: 92.90 mm. Width: 46.24 mm. High: 18.45 mm. Wt. 147.5 g.	02.07.11
Advanced Energy	Thunder Power RC # TP5800-1SPR65		Thunder Power LiPo 1S 3.7v. 5800 mah. 65C Wt. 142/154 g.	Length: 92.81 mm. Width: 46.71 mm. High: 18.36 mm. Wt. 149.5 g.	02.07.11
Vapex	VP Racing # VP94319		VP Racing LiPo 1S 3.7v. 5500 mah. 65C Wt. 138/150 g.	Length: 92.67 mm. Width: 46.47 mm. High: 18.24 mm. Wt. 144.5 g.	02.07.11
Vapex	VP Racing # VP94326		VP Racing LiPo 1S 3.7v. 6000 mah. 50C Wt. 142/153 g.	Length: 92.68 mm. Width: 46.48 mm. High: 18.22 mm. Wt. 147.7 g.	02.07.11
Vapex	VP Racing # VP94333		VP Racing LiPo 1S 3.7v. 6500 mah. 40C Wt. 140/151 g.	Length: 92.64 mm. Width: 46.47 mm. High: 18.27 mm. Wt. 145.5 g.	02.07.11
Muchmore	Impact # MLI-T6000P		Muchmore LiPo 1S 3.7v. 6000 mah. 60C Wt. 137/147 g.	Length: 92.97 mm. Width: 46.35 mm. High: 18.40 mm. Wt. 142.5 g.	02.07.11
Associated Electrics	Reedy # 600		Reedy LiPo 1S 3.7v. 6500 mah. 65C Wt. 151/161 g.	Length: 92.64 mm. Width: 46.41 mm. High: 18.42 mm. Wt. 154.0 g.	02.07.11
Advanced Energy	Thunder Power RC # TP5400-1SPR65B		Thunder Power LiPo 1S 3.7v. 5400 mah. 65C Wt. 141/153 g.	Length: 92.95 mm. Width: 46.92 mm. High: 18.44 mm. Wt. 147.3 g.	02.07.11
Advanced Energy	Thunder Power RC # TP5400-1SPR65D		Thunder Power LiPo 1S 3.7v. 5400 mah. 65C Wt. w/wire 150/162 g.	Length: 92.86 mm. Width: 46.83 mm. High: 18.27 mm. Wt. w/wire 152.4 g.	02.07.11
Associated Electrics	Reedy # 629		Reedy LiPo 1S 3.7v. 5500 mah. 60C Wt. 150/162 g.	Length: 92.70 mm. Width: 46.50 mm. High: 18.29 mm. Wt. 155.9 g.	02.07.11

Graupner	GM V-MAXX # 99005		GM LiPo 1S 3.7v. 5800 mah. 60C. Wt. 144/156 g.	Length: 92.80 mm. Width: 46.26 mm. High: 18.17 mm. Wt. 146.8 g.	02.07.11
Intellect Battery	IP # CC1S6000V6		Intellect LiPo 1S 3.7v. 6000 mah. 60C Wt. 144/156 g.	Length: 92.75 mm. Width: 46.36 mm. High: 18.38 mm. Wt. 147.8 g.	02.07.11
VTEC	VTEC Competition Car Line # 79887		LRP LiPo 1S 3.7v. 21.5 Wh. 65C Wt. 144/156 g.	Length: 92.30 mm. Width: 46.23 mm. High: 18.24 mm. Wt. 147.4 g. Has chassis location.	02.07.11
VTEC	Nosram X-treme Race # 99952		Nosram LiPo 1S 3.7v. 21.5 Wh. 65C Wt. 144/156 g.	Length: 92.28 mm. Width: 46.23 mm. High: 18.29 mm. Wt. 147.4 g. Has chassis location.	02.07.11
Robitronic Electronic	Robitronic # RO5243		Robitronic LiPo 1S 3.7v. 5500 ?? 60C Wt. 149/161 g.	Length: 92.95 mm. Width: 46.39 mm. High: 18.39 mm. Wt. 153.5 g.	02.07.11
Superior Matching Concept	SMC C-Max # 5660SI		SMC LiPo 1S 3.7v. 5600 mah. 60C Wt. 140/152 g.	Length: 92.85 mm. Width: 46.56 mm. High: 18.36 mm. Wt. 144.8 g.	02.07.11
Superior Matching Concept	SMC Sport Max # 6028SI		SMC LiPo 1S 3.7v. 6000 mah. 28C Wt. 138/150 g.	Length: 92.84 mm. Width: 46.60 mm. High: 18.31 mm. Wt. 145.5 g.	02.07.11
Team ORION	ORION Carbon Pro # ORI14039		Orion LiPo 1S 3.7v. 23.7 Wh. 90C Wt. 138/150 g.	Length: 92.87 mm. Width: 46.34 mm. High: 18.25 mm. Wt. 144.8 g.	02.07.11
nVision	nVision # NV1101		nVision LiPo 1S 3.7v. 6400 mah. 90C Wt. 138/150 g.	Length: 92.78 mm. Width: 46.25 mm. High: 18.41 mm. Wt. 147.5 g.	02.07.11
Tianco	ORCA Infinite # OB6161IS		Tianco LiPo 1S 3.7v. 6000 mah. 60C Wt. 144/156 g.	Length: 92.81 mm. Width: 46.23 mm. High: 18.50 mm. Wt. 147.8 g.	02.07.11
Vampire Racing	Vampire # VR-1014		Vampire LiPo 1S 3.7v. 5700 mah. 50C Wt. 141/153 g.	Length: 92.71 mm. Width: 46.23 mm. High: 18.40 mm. Wt. 141.6 g.	02.07.11
Calandra Racing Concepts	CRC Maxxcell # CRC 3702		CRC LiPo 1S 3.7v. 6300 mah. 50C Wt. 144/156 g.	Length: 92.74 mm. Width: 45.97 mm. High: 18.23 mm. Wt. 149.2 g.	02.07.11
Team Powers	Team Powers # TP-6000- 60C-1S		Team Powers LiPo 1S 3.7v. 6000 mah. 60C Wt. 142/155 g.	Length: 92.72 mm. Width: 46.34 mm. High: 18.49 mm. Wt. 141.8 g.	02.07.11
Xcelorin	Xcelorin # LOSB9879		SMC LiPo 1S 3.7v. 5600 mah. 60C Wt. 140/152 g.	Length: 92.56 mm. Width: 46.44 mm. High: 18.36 mm. Wt. 145.1 g.	02.07.11

Calandra	CRC Maxxcell # CRC3700		CRC LiPo 1S 3.7v. 5200 mah 50C	Length: 92.98 mm. Width: 46.04 mm. High: 18.50 mm. Wt. 136.6 g	29.03.10
VTEC	LRP Competition car line. # 79877		LRP LiPo 1S 3.7v. 5400. 50C	Length: 92.72 mm. Width: 46.44 mm. High: 18.14 mm. Wt. 135.4 g Has chassis location.	27.01.10
ORION	ORION Carbon. # ORI14032		ORION LiPo 1S 3.7v. 4200. 45C	Length: 92.70 mm. Width: 46.63 mm. High: 18.39 mm. Wt. 123.0 g	27.01.10
Xceed	Xceed Race Pack # 105112		Xceed LiPo 1S 3.7v. 5000 mah. 40C	Length: 92.86 mm. Width: 46.07 mm. High: 18.22 mm. Wt. inc. wire 152.5 g	27.01.10
Graupner	GM V-MAXX # 98979		GM LiPo 1S 3.7v. 5400 mah. 40C Case Black or C/Fibre	Length: 92.76 mm. Width: 46.01 mm. High: 17.88 mm. Wt. inc. wire 150.2 g	27.01.10
First Strong	SpeedPower # SLR5041C		SpeedPower LiPo 1S 3.7v. 5500 mah. 45C	Length: 92.93 mm. Width: 46.05 mm. High: 18.20 mm. Wt. inc. wire 151.2 g	27.01.10
Advanced Energy Inc.	Thunder Power Pro Race # TP5000-1SPR50		Thunder Power LiPo 1S 3.7v. 5000 mah. 50C	Length: 92.17 mm. Width: 46.39 mm. High: 18.25 mm. Wt. inc. wire 150.2 g	27.01.10
Desire Power	Desire Power V6 # DCP4800 XP40		Desire Power LiPo 1S 3.7v. 4800 mah. 40C	Length: 92.61 mm. Width: 46.80 mm. High: 18.29 mm. Wt. inc. wire 145.7 g Has chassis location	27.01.10
CS-Electronic	CS Factory Professional # C211016		CS LiPo 1S 3.7v. 5300 50C	Length: 92.97 mm. Width: 46.15 mm. High: 18.17 mm. Wt. inc. wire 153.2 g	27.01.10
VTEC	Nosram X-Treme Race # 99947		Nosram LiPo 1S 3.7v. 5400 50C	Length: 92.73 mm. Width: 46.44 mm. High: 18.14 mm. Wt. 134.8 g Has chassis location	27.01.10
Moore Speed	Moore-speed # MS-B3701		Moore Speed LiPo 1S 3.7v. 4600 mah. 50C	Length: 92.73 mm. Width: 46.49 mm. High: 18.48 mm. Wt. 123.3 g	27.01.10
Muchmore	Impact # MLI-T5200D		Impact LiPo 1S 3.7v. 5200 50C	Length: 92.81 mm. Width: 46.07 mm. High: 17.96 mm. Wt. inc. wire 151.2 g	18.01.10
SMC	SMC C-MAX # 5350SI		SMC LiPo 1S 3.7v. 5300 mah. 50C	Length: 91.73 mm. Width: 45.74 mm. High: 18.00 mm. Wt. 141.0 g	18.01.10
Not advised	Demon Power Products # DP5040		LiPo 1S 3.7v. 5000 mah. 40C	Length: 93.00 mm. Width: 46.09 mm. High: 18.00 mm. Wt. inc. wire 149.7 g	16.11.09

Not advised	Arrowind # TWD40-50001S1P		LiPo 1S 3.7v. 5000 mah. 40C	Length: 92.77 mm. Width: 46.05 mm. High: 18.01 mm. Wt. inc. wire 151.4 g	09.11.09
SMC	SMC C-MAX # 4950SI		SMC LiPo 1S 3.7v. 4900 mah. 50C	Length: 92.15 mm. Width: 45.88 mm. High: 18.40 mm. Wt. 137.6 g	15.10.09
Associated Electrics	Reedy LiPo # 719		Reedy LiPo 1S 3.7v. 4600 mah. 40C 3.5mm Tubes.	Length: 92.74 mm. Width: 46.90 mm. High: 18.02 mm. Wt. 139.4 g Has location features	12.10.09
Intellect Battery	IP LiPo RACE PACK # HW1S-5000V4		IP LiPo 1S 3.7v. 5000 mah. 40C	Length: 92.87 mm. Width: 46.22 mm. High: 18.07 mm. Wt. inc. wire 151.6 g	12.10.09
SMC	SMC C-MAX # 4950S		SMC LiPo 1S 3.7v. 4900 mah. 50C	Length: 91.99 mm. Width: 45.77 mm. High: 18.19 mm. Wt. inc. wire 145.8 g	12.10.09
Advanced Energy Inc.	Thunder Power Pro Racer # TP5000-1SPR		Thunder Power LiPo 1S 3.7v. 5000 mah. 40C	Length: 92.35 mm. Width: 46.77 mm. High: 18.16 mm. Wt. inc. wire 146.2 g	05.10.09
SMC	SMC LIGHTNING VOLTS # SUM4025S		SMC LiPo 1S 3.7v. 4000 mah. 25C	Length: 92.0 mm. Width: 46.10 mm. High: 17.97 mm. Wt. inc. wire 120.2 g Has location features.	16.02.09

"SPORTS PACK" -- STICK TYPE LiPo BATTERIES

BATTERIES BELOW THIS LEVEL ARE DESIGNATED AS 'SPORTS PACKS'.

'SPORTS PACKS' ARE LIMITED TO:- 14.8 Wh. CAPACITY WITH A Max. RETAIL PRICE OF £25.

SPORTS PACKS ARE ALLOWED FOR USE FROM 15.11.12.

Schumacher RC	CORE-RC # CR172		Core-RC LiPo 1S 3.7v. 11.8 Wh. 25C	Length: 92.98 mm. Width: 46.30 mm. High: 18.48 mm. Wt. 98.2 g	14.11.12
------------------	--------------------	---	--	--	----------

SADDLE' TYPE LiPo BATTERIES.

Speedzone	Speedzone # SZ5200PROS D1S		Speedzone LiPo 1S 3.7v. 5200 mah. 50C	Length: 92.48 mm. Width: 45.88 mm. High: 22.89 mm. Wt. inc. wire 155.1 g	15.02.10
-----------	-------------------------------------	---	---	---	----------