







NOTE: These motors differ from Brushless 'Modified' motors.
 Sample Motors on this List have been checked for compliance to BRCA Electric Board Brushless Rules, Sections 4, & 6.
 Whilst sample Motors submitted have been found to conform with all BRCA rules and requirements, **it is the responsibility of ALL competitors to ensure that the versions they use also comply with all BRCA rules and requirements.**
 All motors detailed below, must be (or previously have been) available for purchase via. a UK outlet.


Motor Builder	Type/Range	Illustration only	Distributor	Notes	Approval Date
Motors below this level must comply with BRCA (EB) Rules :- 6.3 (including 01.03.21 amendment) requiring access to the stator to allow measurement and visual appraisal of the laminates. Also 6.4 & 6.6 (including 01.03.21 amendment) which requires the Rotor to be marked with Name or Logo & Part # on shaft..					
Shenzhen Cayote Tech.	Cayote CREST Stocki Part # CYEB11013		Schumacher	Sensored system. Stator totally open. Pinion Cap removes but not terminal ring. Wind on stator. Adjustable timing +30/+60°. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. Rotor with name, Part # CYEBR1007 on shaft. Option rotor: CYEBR1008.	02.03.26
United Sino Enterprises	ORCA Blitreme3A Part # MO24BT3U215A (EFRA version)		X-Factory UK	Sensored system. Stator bonded, but has access holes. Wind printed on stator. Adj. timing 5/60. All screws magnetic, steel shielded magnetic bearings. Small dia. steel location pin 5mm long bonded in stator groove. Rotor with ORCA, Part # RT23HS12548 on shaft. Option rotor: RT18M125258 on shaft.	02.02.26
Team Powers	Actinium V6S Part # TPRBLM 215100 ACT-V6S		RC-Explorer UK	Sensored system. Stator open, Caps remove. Team Powers on End-Cap, wind on stator. Adjustable timing 0/+60 deg. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. Rotor with name: Part # TP125G-R50 on shaft.	01.12.25
Sky RC	ARES Pro V4 Part # SK 400034-04		Schumacher Racing	Sensored system. Stator open. Caps remove. Wind on stator. Adjustable timing 0/+60 deg. Long screws stainless, timing plate screws magnetic, Al. retaining housing, steel shielded magnetic bearings. Rotor: Part # SK-715317568 on shaft.	01.12.25
R1 Brushless Motor Lab.	R1 Brushless Motor Lab. V30 Part # 020181		X-Factory UK	Sensored. Caps remove. Adjustable timing 10/+60 deg. All screws non-magnetic, plastic retaining housing with Al. clamp ring. Steel shielded magnetic bearings. R1 & wind on stator. Stator faces no paint on outer 1mm. Rotor with: R1, Part # 2-125726 on shaft. Option rotor: 125755	07.04.25
Reds Racing	VX3 Part # MTTE 0038P		Kyosho UK	Sensored system. Red Al. timing plate. Adjustable timing 0-50. End-Caps remove, cut-outs for measuring stator. All screws magnetic, Al. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE0041 on shaft. Option rotor: MSTE0031	07.10.24 Rotor change. See also 2020 Approvals
Team Powers	Actinium V5S Part # TPRBLM 215100 ACT-V5S		RC-Explorer UK	Sensored system. Stator open, Caps remove. Team Powers on End-Cap, wind on stator. Adjustable timing 0/+60 deg. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. Rotor with name: Part # TP125G-R50 on shaft.	02.09.24
Hobbywing	Xerun V10 G4R Pt # 30401747 Standard version		Schumacher & CML	Sensored system. Rotor with one Alu. Fan type bal. ring. Adjustable timing +20/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # 30820450 on shaft. Option rotor: 30820460.	05.08.24

Muchmore	Fleta ZX V3 Type ER Part # MR- V3ZX215ERTM		MB Models	Sensored system. Stator open, Caps remove. Adjustable timing 0/+50 deg. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. MUST have slots in both End-Caps for stator measuring. Rotor with: Muchmore, Part # MR-FZR19XTM on shaft. Option rotor: MR-FZR1X	05.08.24
Amy Booth Models	ABM G1M Part # ABM10017		Amy Booth Models	End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & G1M Lightweight printed on stator. All screws magnetic. Al. retaining housing, steel shielded magnetic bearings. Rotor with ABM, Part # ABM10093 on shaft.	01.04.24
Amy Booth Models	ABM G1 Part # ABM10004		Amy Booth Models	End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & G1 printed on stator. All screws magnetic (brass plated). Al. retaining housing, steel shielded magnetic bearings. Rotor with ABM & Part # ABM10092 on shaft.	01.04.24
Team Corally	Vulcan II Part # C-61173		CML	Sensored system. One piece Can with Vulcan II Stock & wind on stator. Adj. timing 0-60 deg. Stator bonded. Long Can screws non-magnetic, timing screws magnetic. Al. sensor housing. Steel shielded magnetic bearings. Rotor with Corally, Part # C-61185 on shaft.	01.04.24
United Sino Enterprises	ORCA Blitreme3 Part # MO24BT3U215 (EFRA version)		X-Factory UK	Sensored system. Stator bonded, but has access holes. Wind printed on stator. Adj. timing 5/60. All screws magnetic, steel shielded bearings. Small dia. steel location pin 5mm long bonded in stator groove. ORCA & Part # RT23HS12548 on magnet. Code # HS125 on shaft. Later production has full Part # on shaft. Option rotor: RT18M125258	05.02.24 03.06.24
Surpass Hobby	Rocket RC V6M Lightweight Part # SUR 6521		SMD	End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & V6M Lightweight printed on stator. All screws magnetic. Al. retaining housing, steel shielded magnetic bearings. Rotor with Surpass, Part # C75125 on shaft.	04.09.23
Surpass Hobby	Rocket RC V6 Part # SUR 6621		SMD	End Caps remove but also two cut-outs for measuring. Adjustable timing 0/+60 deg. Wind & V6 printed on stator. All screws magnetic. Al. retaining housing, steel shielded magnetic bearings. Rotor with Surpass, Part # C78125 on shaft.	04.09.23
Hoomark	Team Zombie EVO II Part # M-TZ- EVO2215TT		MB Models	Sensored system. End-Caps remove. Adjustable timing 0/+60 deg. 4mm thick collector ring. Long body screws non-magnetic, timing plate screws magnetic, Al. sensor retaining housing, magnetic steel shielded bearings. Rotor with: Name & Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725125T	07.08.23
Trinity	Slot Machine Part # TEP 2023E		Zen Racing	Sensored. Purple end-plate has Trinity & Slot Machine etched. Wind and 'EFRA' on 'open' stator. Adjustable timing 0-60 deg. Has stator access. Wind stamped on lower collector ring. All screws magnetic, Al. retaining housing, steel shielded magnetic bearings. NOTE: Original version has EFRA marked in GOLD on stator. Rotor with name & Part # on shaft TEP1119. Later version has EFRA logo marked in WHITE on stator. Rotor with name & Part # on shaft TEP1120. Either Rotors are allowed.	05.06.23 04.12.23

Team Powers	Actinium V5.0 Pt. # TPRBLM 215100 ACT-V5		RC-Explorer UK	Sensored system. Black Al. one piece Can. 4 full length slots. Team Powers on End-Cap. Wind on stator. Adjustable timing 0-60. All 6 c/sk screws magnetic, Al. sensor housing, steel shielded bearings. Rotor with name, Part # TP125G-R50. Option rotor: TP125G-R2	03.04.23 04.09.23
Nosram	XTEC Nosram N22 Part # 920203		Schumacher Racing	Sensored system. "Y" Wind. Black Al. End-Cap with XTEC. Adj. timing 0/60. Wind etched on stator, visible. Body screws non-magnetic, timing screws magnetic, steel shielded magnetic bearings. Rotor with Nosram & Part # 920522 on shaft. Option rotor: 920521.	04.07.22
Hobbywing	Justock G2.1 Fixed timing. Part # 30408012		Schumacher & CML	Sensored system. "Y" Wind. Black Al. End-Caps with Hobbywing Justock G2.1. Fixed timing. Stator bonded, wind etched on stator. All screws magnetic, steel shielded magnetic bearings. Stator can be measured. Rotor with Name, Part # 30820007 on shaft.	02.05.22
Hobbywing	Xerun V10 G4 Pt # 30401142		Schumacher & CML	Sensored system. Black all Alu. End-Caps. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # on shaft 30820445. Option rotor: 30820444.	02.05.22
Maclan	MRR V3 Part # MCL1052		Answer RC	Sensored system. 3 side screws retain End-Cap. Timing insert with Maclan. Adjustable timing +20/+ 50. All screws magnetic. Al. sensor housing & horseshoe, magnetic steel shielded bearings. Stator removes with wind etched. Rotor with name & Part # MCL4144.	07.03.22
Volta	Volta Part # 880003		MB Models	Sensored system. "Y" Wind. Stator bonded. Adjustable timing 0/+60 deg. Stator & wind visible. All screws magnetic, Al. sensor retaining housing, magnetic steel shielded bearings. Rotor with: Name & Part # on shaft, 8125726.	01.11.21
Ruddog	Ruddog RP542 Part # RP-0449		X-Factory UK	Sensored system. 4 side screws retain End-Cap. Timing insert with Ruddog. Adjustable timing 0/+60. Wind & RP542 on stator visible. 3mm collector ring. All screws magnetic, Al. sensor housing, magnetic steel shielded bearings. Stator bonded. Rotor with name & Part #-: RP-0435	03.05.21
Team Powers	Actinium V4.0 Pt. # TPBML 215100 ACT-V4		RC-Explorer UK	Sensored system. Black Al. one piece Can. 4 full length slots. Team Powers on End-Cap. Wind on stator. Adjustable timing 0-60. Body screws non-magnetic, timing screws magnetic, Al. sensor housing, steel shielded bearings. Rotor with name, Part # TP125G-R2. Option rotor: TP123G-R2	01.03.21
Motors below this level must comply with BRCA (EB) Rules :- 6.3 (prior to 01.03.21 amendment) requiring access to the stator to allow measurement and visual appraisal of the laminates. Also 6.4 & 6.6 (prior to 01.03.21 amendment) which requires the Rotor to be marked with Name or Logo & Part #.					
Tekin	Redline G4 SPEC-R Part # TT2761		X-Factory UK	Sensored system. "Y" Wind. Adj. timing 0/60. Machined Alum. Can, wind printed. Stator visible. All screws magnetic, Plastic sensor housing, magnetic steel shielded bearings. Rotor Part # TT2776 on flat.	07.12.20
Performa	p1 Radical Stock Part # PA9410		Answer RC	Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+40. Wind in screw slots. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name. Part # PA9356.	07.12.20 05.07.21 Part # updated

Konect	K1 Elite Stock Part # K11901010		To be advised	Sensored system. "Y" Wind. Stator not bonded and removes for checking. Wind on stator visible. Adjustable timing 0/60. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part #: K1/12.5C7.2 on flat	06.07.20
Ruddog	Ruddog RP541 Part # RP-0363		X-Factory UK	Sensored system. "Y" Wind. 4 side screws retain End-Cap. Timing insert has Ruddog & RP541. Adjustable timing 0/+60. Wind on stator visible. 3mm collector ring. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part #-: RP-0349.	01.06.20
Reedy	Reedy S+Plus Torque Part # 27428		CML	Sensored system. "Y" Wind. Alu. timing insert with 'R' logo, timing 0/+ 50 deg. Stator can be removed, wind etched on stator, twin lines round wind. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # 27414 of shaft flat.	06.04.20
Absima	CTM V.3 Part # 2130062		Absima UK	Sensored system. Stator removes, access holes. Absima logo End-Cap, wind on stator. Adj. timing 0/50. Single collector ring. Body & timing screws non-magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part # CTM STK N42UH.	02.03.20
Reds Racing	VX3 Part # MTTE 0038 MTTE0038C MTTE0038P MTTE0038PC See notes		Kyosho UK	Sensored system. "Y" Wind. Red Al. timing plate. Adjustable timing 0-50. Caps. remove, cut-outs for measuring stator. All screws magnetic, Al. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE 0030. Motor with Part # ending with:- 'C' has non-magnetic long body screws. 'P' has updated stator material.	22.01.20 09.11.20 02.05.22
Hoomark	Team Zombie EVO. Part # M-TZ-EVO215T		Torque RC	Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. 4mm thick collector ring. Body screws magnetic, timing screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with: Zombie, Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725123	06.01.20
Corally	Vulcan Stock Part # C-61113		CML	Sensored system. "Y" Wind. Can with Vulcan Stock & wind on stator. Adj. timing 0-60 deg. Stator removes. All screws magnetic, Al. sensor housing. Steel shielded bearings. Rotor with name & Part #: 61130	06.01.20
Surpass	Rocket-RC V5R Part # SUR 51215		SMD	Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. 3mm collector ring. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Steel body screws supplied with kit, allowed. Rotor with Surpass, Part # C75125 on shaft. Option rotor: C77123 on shaft.	30.09.19
Hobbywing	Xerun V10 G3R Pt # 30401132		Schumacher & CML	Sensored system. "Y" Wind. Black Alu. End-Caps, plastic timing insert. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # 30820411. Option rotor: 30820416. Later versions can have mounting end-cap chamfer plain aluminium with no black paint.	10.06.19 17.06.19 06.07.20
United Sino Enterprises	ORCA Blitreme2 Part # MO18BT54215		MB Models	Sensored system. Stator bonded, has access holes. ORCA, Blitreme2 & wind etched on End-Cap. Wind on stator. Adj. timing +10/60. Single 3mm collector ring. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part #: RT18M125258.	25.03.19

LRP	XTEC X22 Part # 520203		Schumacher	Sensored system. Black Al. End-Bell with XTEC. Adj. timing 0/60. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, steel shielded bearings. Rotor with LRP & Part # 520522, 12.5S on shaft. Option rotor: 520521, 12.3S on shaft. Later motors have two full length slots, and are allowed.	11.03.19 20.01.21
Sky RC	ARES Pro. V2.1 Part # SK-400003-60		Schumacher Racing	Sensored system. "Y" Wind. Stator removes. Adjustable timing +5/+55 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & part #: SK-400003-20	03.12.18
Tekin	Redline G3 SPEC-R Part # TT2696		X-Factory UK	Sensored system. "Y" Wind. Adj. timing 0/60. Machined Alum. Can, wind printed. Stator visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Min. length 50.00mm. Rotor with name & Part # 2722. Option rotor: 2721	19.11.18
SMC	Lowrider Part # SMCLR40215		Monitex Racing	Sensored system. "Y" Wind. No centre sleeve, End-Caps remove. Adjustable timing +10/+54 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & part #: LR712542	12.11.18
Hoomark	Zombie CJ Edition. Part # M-TZ-RBE215T		Torque RC	Sensored system. "Y" Wind. Stator bonded but visible. Adjustable timing 0/+60 deg. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with: Zombie, Part # M-TZ-725125 on shaft. Option rotor: M-TZ-725125S	12.10.18
Surpass	Rocket V4S Stock Spec. Part # SUR7215		SMD	Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with Surpass, Part # C75125 on shaft. Option Rotor: C77123.	17.09.18 12.11.18
Team Powers	Actinium V3.0 Pt. # TPBLM 215100 ACT-V3		RC-Explorer UK	Sensored system. Black Aluminium Sleeve & End-Cap. Stator with wind etched & visible. Sintered rotor with one balance ring. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name, Part # TP125G-R2. Option rotor: TP123G-R2	17.09.18 02.07.19
Hobbywing	Xerun V10 G3 Pt # 30401105		Schumacher Racing & CML	Sensored system. "Y" Wind. Black Alu. End-Caps, plastic timing insert. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor Part # 30820018. Option rotor 30820406	21.05.18 24.12.18
Reds Racing	VX2 Part # MTTE 0024		Kyosho UK	Sensored system. "Y" Wind. Red Al. timing adjuster. Adjustable timing 0-50. Stator removes & has wind etched. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # MSTE0017. Option rotor MSTE 0018	23.04.18
Surpass	Rocket V3 Pro Stock. Part # SUR6215 SUR1215		SMD	Sensored system. "Y" Wind. Stator bonded, has access. Adjustable timing 0/+45 deg. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with Surpass, Part # C74125 on shaft. Black casings & Part # update in 2022	05.02.18 04.07.22

Reedy	Reedy S+Plus Part # 27401		CML	Sensored system. "Y" Wind. Alu. timing insert with 'R' logo, timing 0/+ 50 deg. Stator can be removed, wind etched on stator. All screws magnetic, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # 27414 of shaft flat.	15.01.18
Tianco	ORCA Blitreme Part # OMB215BL		MB Models	Sensored system. "Y" Wind. Stator bonded, has access holes. ORCA Blitreme & wind etched on End-Cap. Adjustable timing 0/60. Twin collector ring. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & Part # ORR425SO.	15.01.18
Arrowmax	Dash R-Tune Part # DA740215		Schumacher Racing	Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. Wind on stator. All screws magnetic, Al. retaining plate, steel shielded bearings. (Non-magnetic body screws included with kit). Rotor with DASH:- Part # - DA-730003. Shaft RSS125.	01.01.18 19.02.18
NOTE: ALL MOTORS SUBMITTED BEFORE 01.11.17, WERE HOMOLOGATED WITH MAGNETIC SCREWS AND STEEL SHIELDED BEARINGS FITTED.					
Changing these items invalidates the Motor Part # stated and contravenes Electric Board Rule 4.3.					
Maclan	MRR V2 Part # MCL1035		Inside Line Racing	Sensored system. "Y" Wind. Black Can & End-Cap with logo. Nickel rotor with one Black Alu. bal. ring. Adjustable timing +20/+ 50 deg. Has stator access. Rotor Part # MCL4143. Option Rotor : MCL 4144.	16.10.17 20.11.17
Trinity	Monster Max Horsepower Part # TEP 1507		Zen Racing	Sensored system. 'Y' Wind. End-plate has Trinity & Monster Max etched. Stator sleeve with Trinity, M Max & Wind etched. Adjustable sensor plate timing 0-60 deg. Has stator access. Wind stamped on lower collector ring. Rotor with name & Part # TEP1112, later versions TEP1119. Either options allowed.	16.10.17 19.03.18
Motiv	MCR Part # MOV102152S		Zen Racing	Sensored system. "Y" Wind. Alu. timing plate with MOTIV logo. Both End-Caps remove. Nickel sintered rotor with black balance ring. Adjustable sensor plate timing +20/+50 deg. Has stator access. Rotor part # MOV1340	28.08.17
R1 Brushless Motor Lab.	R1 Part # R1-215B-125-V16 BRCA & EFRA		MB Models	Sensored system. "Y" Wind. End-Plate with R1 etched. Stator sleeve with wind. Rotor with black balance ring. Adjustable timing 0-60 deg. Has stator access. Collector ring 3mm thick. Motors with epoxy filled windings not approved. V16 etched on sleeve. Rotor with name & Part #: R1-125-720-002 Option rotors: R1-123-720-001	24.07.17
Muchmore	FLETA ZX V2 Part # MR-V2ZX215ER		MB Models	Sensored system. "Y" Wind. Al. timing plate, adjust. timing 0-50. Stator removes but can be seen through holes. Wind etched on stator. Shaft etched with rotor dia. Rotor with name & part #. Rotor Part #: MR-FZR 21Y. Optional rotor #'s: All MR-FZR :- 18TI, 19Z, 21TIZ, 21Z	03.07.17 31.10.17
Hobbywing	Xerun Justock 3650 G2 Pt # 30408007		Schumacher	Sensored system. "Y" Wind. Black Alu. Can & End-Cap with Justock 3650G2. Nickel sintered rotor with one Alu. bal. ring. No timing adjustment. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A.	15.05.17
R1 Brushless Motor Lab.	R1 Part # R1-215B-125-V15 BRCA & EFRA		MB Models	Sensored system. "Y" Wind. End-Plate with R1 (only) etched. Stator sleeve with wind. Rotor with black balance ring. Adjustable timing 0-60 deg. Has stator access. Collector ring 3mm thick. Motors with epoxy filled windings not approved. Rotor with name & Part #: R1-125-720-002 Option rotors: R1-123-720-001 R1-125-720-001	20.02.17 03.04.17

Reds Racing	VX Part # MTTE 0013		Kyosho UK	Sensored system. "Y" Wind. Red metal End-Plate at Term. End, with adjustable timing 0-45. Black Can/Sleeve. Stator separates & has wind etched. Rotor with Green drilled balance ring Part # MSTE0016. Optional rotors:- # MSTE0009, MSTE0010	30.01.17
Fantom	Fantom FR-1 v2 Pt. # FAN19475S		Schumacher	Sensored system. "Y" Wind. Stator glued in sleeve. Sleeve with wind etched. Adjustable timing +20/+60 deg. Has stator access but hysol on ends. Wind etched on stator. Rotor with name, Part # - FAN19591. Option Rotor: FAN19590.	23.01.17
Maclan	MRR Part # MCL1017		Inside Line Racing	Sensored system. "Y" Wind. Black Can & End-Cap with copper timing plate & logo. Nickel rotor with one red Alu. bal. ring. Adjustable timing +20/+ 60 deg. Stator removes easily. Rotor Part # MCL4075. Optional rotors # MCL4076 & MCL4093.	16.01.17
Tianco	ORCA RT Pt. # OMT215RT		MB Models	Sensored system. "Y" Wind. Black Can & E/Cap. Stator has access slots. Stator accepts 14.5mm gauge. ORCA RT & wind etched on End-Cap. Adjustable timing +/-50. Rotor with name & Part # ORR425S0. Option rotors:- ORR --- 325S1, 233SL, 238SL, 253SL, 258SL.	16.01.17
Hobbywing	Xerun V10 G2 Pt # 30101109		Schumacher	Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo moulded. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 50 deg. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A. Opt. Rotor # 30820015 stamped 7-12.5-U-B Option End-Cap, timing +30/+60 # 30820054	21.11.16 12.12.16 21.11.16
Team Powers	Actinium Pt. # TPBLM 215100 ACT- V2		RC-Explorer UK	Sensored system. "Y" Wind. Black Aluminium Sleeves & End-Plates. Stator with wind etched & visible. Nickel sintered rotor with no balance ring. Has stator access. Rotor with name, Part # TP125G-R	24.10.16
Tesla	Tesla EP Part # TS-194215T-S		CPD	Sensored system. "Y" Wind. Blue Alu. Can & End-Caps. Timing insert with Tesla logo etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible. Rotor Part # TS-194136	05.09.16
Fantom	Fantom FR-1 Type M Pt. # FAN19505S		Schumacher	Sensored system. "Y" Wind. Stator glued & spigoted in sleeve. Sleeve with wind etched. Adjustable sensor plate timing +20/+60 deg. Has stator access. Wind etched on stator. Rotor with name, Part # - FAN19591. Optional Rotor: FAN19590.	08.08.16 05.12.16
Corally	Dynospeed Spec. 3.0 Part # C-61103		X-Factory UK	Sensored system, two ports. "Y" Wind. One end of stator visible but stator removes. Stator has wind etched. Wind etched on End-Cap. End-Cap Alum., adjustable timing, no numbers. Rotor with logo, Part # 61130	08.08.16
Motiv	M Code Part # MOV10215S		Zen Racing	Sensored system. "Y" Wind. Alu. timing plate with MOTIV logo. Mounting Cap removes. Nickel sintered rotor with no balance ring. Adjustable sensor plate timing 0/+50 deg. Has stator access. Rotor part # MOV1315	18.07.16
Ruddog	Ruddog RP540 Part # RP-0015		X-Factory UK	Sensored system. "Y" Wind. Silver Alu. Can & End-Caps. Timing insert with Ruddog etched. Nickel rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible with wind visible on stator. Rotor Part # RP-12.5-7.2	20.06.16

Tekin	Redline Gen3 Part # TT2703		RC Disco & X-Factory UK	Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring.. Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721. Option rotors: 2719, 2722	16.05.16
Tekin	Redline Gen3 Part # TT2702 RPM		RC Disco & X-Factory UK	Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring.. Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721. Option rotors: 2719, 2722	16.05.16
EZpower	EZ Kicker EZBR221		MB Models	Sensored system. "Y" Wind. Gun-metal End-Plates & Sleeve. Adjustable red timing ring. Nickel sintered rotor with Red hollow balance ring marked EZ. Caps & sleeve remove, has stator access. Rotor Part # EZBR233	28.03.16
For Homologations before 2016 -- See:- Brushless ARCHIVE, All Wind Classes before 2016.					
Paul Worsley, (BRCA Electric Board Tech. Officer). email: paul.g.worsley@gmail.com					02.03.26